



**THE DATASHEET OF
LNJ308G8PRA**



Approved <i>M. Yamaguchi</i>	Checked <i>T. Shinda</i>	Designed <i>K. Takahashi</i>	DEVELOPMENT SPECIFICATION				17	4
			P/N LNJ308G8PRA					
T Y P E	Green Light Emitting Diode							
APPLICATION	Indicators							
MATERIAL	GaP							
OUTLINE	Attached							
ABSOLUTE MAXIMUM RATINGS	P 50 mW	※IFP 100 mA	IFDC 20 mA	VR 4 V	Topr -25~+85 ℃	Tstg -40~+100 ℃		
CONDITION	Ta=25±3℃							

Test Specification

Item	Symbol	Condition	Typ	Limit		Unit
				Min	Max	
Forward Voltage	V _F	IF= 10 mA	2.03		2.6	V
Reverse Leakage Current	I _R	VR= 4 V			10	μA
Luminous Intensity	I _o	IF= 10 mA·DC	0.7	0.25		mcđ
Peak Emission Wavelength	λ _P	IF= 10 mA·DC	555			nm
Spectral Line Half Width	Δλ	IF= 10 mA·DC	20			nm





※ The Condition of IFP is duty 10 % , Pulse width 1 ms
 · Please contact the Panasonic local office if you design
 at low current (below 1 mA DC) or pulse current operation
 and have any questions.

NOTE



- ★1 Terminal:Plated with gold on copper base.
- ★2 Package:Light green diffusion type.
- ★3 Soldering conditions.
Refer to Handling note.
- ★4 Care should be taken that soldering is done within 3-days after
opening the drypackage and reel.

Aug. 26. 1998		

Approved <i>M. Yamaguchi</i>	Checked <i>T. Okada</i>	Designed <i>K. Shibata</i>	DEVELOPMENT SPECIFICATION				
			P/N: LNJ308G8PRA		17		5



Aug. 26. 1998			
---------------	--	--	--



Aug. 26. 1998		
---------------	--	--




A. Yamaguchi | *T. Akeda* | *K. Sakurai*

DEVELOPMENT SPECIFICATION

P/N: LNJ308G8PRA


17

7




Polarity

1: Anode
2: Cathode



Recommended land layout



(NOTE)

1. Measurement of the package doesn't include electrode projection.
2. Unit: mm

Aug. 26. 1998

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View LNJ308G8PRA on WIN SOURCE](#)

 [Panasonic Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management