








**THE DATASHEET OF
OSTTS18515A**



Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.



Part No.:

OSTTSX

Technical c

- 1.Nominal PITCH:5
- 2.Connec AWG 30
- 3.Insulat AC 1600
- 4.Insulat 1000MΩ
- 5.Tightfer 5kgf.cm
- 6.Screw
- 7.Strippin
- 8.Operat
- 9.Undime

Dim.L= P= num
 Dim.B= over 3
 over 6
 over 9

- 10.Safety
- 11.RoHS Co

No. c
 02
 03
 ... 24

Norm
 Min

5	CAGE	BRASS
4	SCREW	STEEL
3	WIRE GUARD	BRONZE (PBZ)
2	DOWN BODY	PA66 UL94V-0
1	UP BODY	PA66 UL94V-0
ITEM NAME OF PART		
DWG.	WF. Zhang	DATE 2016.06.15
CHK.	WF. Zhang	DATE 2016.06.15
APP.		DATE



ON-SHORE TECHNOLOGY, INC.



△	SIGN				
	DESCRIPTION	CHK.	DATE		

	DESCRIPTION	CHK.	DATE
--	-------------	------	------

2p

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View OSTTS18515A on WIN SOURCE](#)
-  [On Shore Technology Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management