



**THE DATASHEET OF
CB8301-000**



4


3

2


NOTES

- All dimensions are in $\frac{\text{inches}}{[\text{millimeters}]}$
- Dimensions appearing in table are as follows:
 - As Supplied
 - After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.

 Wall thickness will not be measured in transition area.



AS SUPPLIED



AFTER UNRESTRICTED RECOVERY

TABLE OF DIMENSIONS

PART NUMBER	H		J & K		P, R & S	HO	J0
	Min	Max	Min	Max			
382C332	1.00 [25,4]	.45 [11,4]	.60 [15,2]	.30 [7,5]	2.48 [63,0]	1.62 [41,1]	\pm [19]

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES.
METRIC DIMENSIONS ARE IN
BRACKETS.

DECIMAL TOLERANCES
.XXX \pm 0.005 (0.13 mm)
.XX \pm 0.01 (0.25 mm)
.X \pm 0.1 (10.50 mm)

ANGLE TOLERANCE
.X \pm 1 DEG.

DRAWN

UNGUYEN

RPN

DATE

10/19/2007



TITLE

SL

SIZE

B

CODE

00

THIRD ANGLE
PROJECTION

DDI

NOT

SCA

©-2007 Tyco Electronics Corporation. All rights reserved.

4


3

2

COMPATIBILITY CHART

MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING SPEC
-50	Flexible Viton	RT-1313	N/A	
-51	Flexible EPB	RT-1321	/164, /86	RT-1050/13, RT-1050/
-71	Flexible Polyolefin	RT-1316	/42, /86	RT-1050/1, RT-1050/
-125	Modified Fluoropolymer	RT-1334	N/A	
-770	NBCCS	RT-770 TYPE II	N/A	
-780	NBCCS	RT-780 TYPE II	N/A	

ORDERING INFORMATION



SIZE	DWG. NO.	REV	DWG.
B	06090	D	

DO NOT SCALE THIS DRAWING

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View CB8301-000 on WIN SOURCE](#)

 [TE Connectivity](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management