



1

2

3


4

5


SIGN	DATE

THIS IS CAD DRAWING


E



D




C



B

N=Number of poles



A

RECOMMENDED PCB LAYOUT

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ON-SHORE TECHNOLOGY, INC. AND SHALL NOT BE REPRODUCED, COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF ON-SHORE TECHNOLOGY, INC.



TITLE	OSTHT-7.50 Series		
PART NO.	OSTHTXX2080		
APPROVED	CHECKED	DESIGNED	DRAWN
	Marvin 2006.10.10	Marvin 2006.10.10	Marvin 2006.10.10

Material

- Terminal body(Contact plating)
- Surface of solder tail :
- Wire guard :
- Insulator (housing):

Electrical

- Voltage rating:
- Current rating:
- Wire range:
- Solid wire(AWG):
- Stranded wire(AWG):
- Wire strip length:
- Withstanding Voltage:
- Operating temperature:
- Soldering temperature:

RoHS Compliant

PART NUMBER:

OSTHTXX2080

No. of Poles:

- 01 1 Pole (basic block)
- 02 2 Poles
- etc. available in 1-12

1

2

3

4

5

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View OSTHT162080 on WIN SOURCE](#)

 [On Shore Technology Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management