




**THE DATASHEET OF
ELFD18160**



ELFD SERIES PART NUMBERING SCHEME

| REV | ECN | APPD |
|-----|------|-------------|
| - | 3741 | JEC 4/21/99 |
| A | 3865 | JC 11/9/99 |
| B | 5354 | JT 11/10/03 |
| C | 5742 | RN 12/28/05 |



CONSULT PCD FOR PART NO. AND AVAILABILITY OF FOLLOWING OPTIONS:

- CUSTOM COLORS
- CUSTOM MARKING
- CUSTOM KEYING
- SELECTIVE CONTACT LOADING

RU
RATINGS
CURRENT - 15A
VOLTAGE - 300V
U.L. FILE NO. EB3421

SP
RATINGS
CURRENT - 15A
VOLTAGE - 300V
CSA FILE NO. LR69703

DIN VDE 0627:1986
DIN VDE 0110-1:1989
EN 60947-1:1991
EN 60947-7-1:1992


CURRENT - 15A
VOLTAGE - 300 V
TUV FILE NO. 20396

MATERIALS:


HOUSING: PBT, UL 94 V-0; STANDARD TEMP.
CONTACT: BRASS

MAX OPERATING TEMPERATURE:
105°C

| | | | | | | | |
|---|---|----------------|--|--|---|----------------------|--------------|
| DIMENSIONS ANSI Y14.5M UNITS: INCHES ACAD FILE | TOLERANCES .XX ±.01 .XXX ±.005 ANGLES ±2° | PROJECTION | Amphenol Pcd SPECIFICATION DRAWING | | TITLE ELFD SERIES 2-TIER STACKABLE HEADER MODULE | | |
| | | | ENGR J. WILKINSON 4/19/99 | | | | |
| ORIGINAL STAMPED IN RED | THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF AMPHENOL PCD INC. PEABODY, MA | | CHKD A. PATRIE 4/21/99 | | SIZE A | DWG NO. ELFD04260 | REV C |
| | | | APPD J. CAHALY 4/21/99 | | CODE: 58982 | SCALE: NONE | SHEET 1 OF 2 |




ELFD04XX0
4 POS HDR





ELFD06XX0
6 POS HDR

L=NUM OF POS X CL SPACING

VERTICAL




RIGHT ANGLE



ELFDXX260
ELFD ASSEMBLY, XX POSITIONS

PRINTED CIRCUIT BOARD CONFIGURATION



RECOMMENDED PCB THICKNESS: .062±.008

| SIZE | DWG NO. | REV |
|-------------|-------------|--------------|
| A | ELFD04260 | C |
| CODE: 58982 | SCALE: NONE | SHEET 2 OF 2 |

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View ELFD18160 on WIN SOURCE](#)

 [Amphenol PCD Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management