





THE DATASHEET OF
901200763






WAFER: 15% GLASS FILLED POLYESTER TO UL 94V-0. COLOUR: BLACK.



PINS: 0.650/(.0255) SQ. BRASS WIRE. PLATED AS PER SHEETS 2.

EXTENT OF GOLD PLATE.



RECOMMENDED P.C. BOARD HOLE PATTERN

PENDING APPROVAL

- NOTES
- PLEASE REFER TO SHT 2 FOR PLATING DETAILS.
 - RECOMMENDED PCB THICKNESS 1.60MM
 - PRODUCT SPECIFICATION: PS-99020-0001

CKT SIZE	DIM."A"		DIM."B" ⁺⁰ / _{-0.45} ⁺⁰ / _{-.018}		CKT SIZE	DIM."A"		DIM."B" ⁺⁰ / _{-0.45} ⁺⁰ / _{-.018}	
1X1			2.54	(.100)	1X21	50.80	(2.000)	53.34	(2.100)
1X2	2.54	(.100)	5.08	(.200)	1X22	53.34	(2.100)	55.88	(2.200)
1X3	5.08	(.200)	7.62	(.300)	1X23	55.88	(2.200)	58.42	(2.300)
1X4	7.62	(.300)	10.16	(.400)	1X24	58.42	(2.300)	60.96	(2.400)
1X5	10.16	(.400)	12.70	(.500)	1X25	60.96	(2.400)	63.50	(2.500)
1X6	12.70	(.500)	15.24	(.600)	1X26	63.50	(2.500)	66.04	(2.600)
1X7	15.24	(.600)	17.78	(.700)	1X27	66.04	(2.600)	68.58	(2.700)
1X8	17.78	(.700)	20.32	(.800)	1X28	68.58	(2.700)	71.12	(2.800)
1X9	20.32	(.800)	22.86	(.900)	1X29	71.12	(2.800)	73.66	(2.900)
1X10	22.86	(.900)	25.40	(1.000)	1X30	73.66	(2.900)	76.20	(3.000)
1X11	25.40	(1.000)	27.94	(1.100)	1X31	76.20	(3.000)	78.74	(3.100)
1X12	27.94	(1.100)	30.48	(1.200)	1X32	78.74	(3.100)	81.28	(3.200)
1X13	30.48	(1.200)	33.02	(1.300)	1X33	81.28	(3.200)	83.82	(3.300)
1X14	33.02	(1.300)	35.56	(1.400)	1X34	83.82	(3.300)	86.36	(3.400)
1X15	35.56	(1.400)	38.10	(1.500)	1X35	86.36	(3.400)	88.90	(3.500)
1X16	38.10	(1.500)	40.64	(1.600)	1X36	88.90	(3.500)	91.44	(3.600)
1X17	40.64	(1.600)	43.18	(1.700)	1X37	91.44	(3.600)	93.88	(3.700)
1X18	43.18	(1.700)	45.72	(1.800)	1X38	93.88	(3.700)	96.52	(3.800)
1X19	45.72	(1.800)	48.26	(1.900)	1X39	96.52	(3.800)	99.06	(3.900)
1X20	48.26	(1.900)	50.80	(2.000)	1X40	99.06	(3.900)	101.60	(4.000)

SYMBOLS ▽ = 0 DIMENSION UNITS ▽ = 0 SCALE ▽ = 0 GENERAL TOLERANCES (UNLESS SPECIFIED) ▽ = 0 ANGULAR TOL ± 3.0° ▽ = 0 4 PLACES ± ▽ = 0 3 PLACES ± ▽ = 0 2 PLACES ± 0.2 ▽ = 0 1 PLACE ± ▽ = 0 0 PLACES ± ■ = 0 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: EC NO: 618808 DRWN: NMANE02 2019/06/10 CHK'D: APPR:			
	INITIAL REVISION: DRWN: ATSEE 2011/12/28 APPR: MLONG 2012/02/24		C-GRID III SINGLE ROW STRAIGHT PIN HEADER			
	THIRD ANGLE PROJECTION 		DRAWING SERIES A3-SIZE 90120		PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER: SD-90120-001 DOC TYPE: PSD DOC PART: 001 REVISION: N7	
	MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET		SHEET NUMBER: 1 OF 2			

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 901200763 on WIN SOURCE](#)

 [Molex, LLC Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management