






**THE DATASHEET OF**  
**54202-S0807ALF**





LEAD STYLE	POST	TAIL OVERALL WIDTH	PCB LAYOUT
08	0.230/5.84	.290+0.015 / -0.017	FIGURE 1
30	0.318/8.08	.7.37+0.38 / -0.43	FIGURE 1
60	0.575/14.60	.374+0.015 / -0.017	FIGURE 2




D LCP FLAME RETARDENT  
 O. COLOR: BLACK.  
 H STAND EXPOSURE FOR 20 SECONDS IN VAPOR PHASE SOLDER PROCESS.  
 SIZE  
 W. 54=1.00/25.4  
 I IN EITHER DIRECTION.  
 WITHOUT PICKUP CAP.  
 T POLARIZED).  
 PICKUP CAPS.  
 REEL WITH PICKUP CAPS.  
 PICKUP CAPS.  
 E AND REEL WITH PICKUP CAPS.  
 PICKUP CAPS FOR SPECIAL CUSTOMER.  
 SITION NUMBER  
 MIT PIN.  
 THIS FEATURE IS NOT APPLICABLE.  
 AL REQUIRED PRIOR TO RELEASE  
 DS.



CT MAY HAVE BARE METAL ON TWO SIDES,

IX AT THE END ARE LEAD FREE.  
 EAN UNION DIRECTIVES AND OTHER  
 RIBED IN GS-22-008.  
 TN PLATING IN THE INTERFACE AND  
 SKER GROWTH IN ALL INTERCONNECT  
 XPOSURE TO 260°C PEAK TEMPERATURE  
 ION, INFRA-RED OR VAPOR PHASE REFLOW  
 PROCEDURES IF THEY ARE AVAILABLE.  
 ATED AT MANUFACTURER'S OPTION

mat'l. code		surface		tolerance		projection		product family	
SEE NOTES 1&2		ISO 1302		ISO 406		ISO 1101		BERGSTIK	
ltr	ecn no/dr	date	tolerances unless otherwise specified	angles	lineof	200405/200413	200405/200413	title	
W	EX-N-1227	LZ	2012-07-15					.100 UNSHROUDED HDR	
X	EX-N-1474	ZK	2013-05-14					DUAL ROW VERT. SMT.	
Y	EX-N-1983	JH	2015-01-15	0±.2		200405/200413		sheet 1 of 4 size	
AA	EX-N-2123	MZ	2015-06-25			200405/200413		A3	
AB	EX-N-2264	MZ	2015-12-22	engr	H.SUNDAY	1999-07-21	1999-07-21	type Product Customer Drawing	
				chr	H.SUNDAY	1999-07-21	1999-07-21		
sheet	revision	AB	AB	AB	AB	AB	AB		
index	sheet	1	2	3	4				



mat'l. code		surface		tolerance		projection		product family	
SEE NOTES 1&2		ISO 1302		ISO 406		INCH/MM		BERGSTIK	
ecn no/dr		date		ISO 1101		scale 1:1		title	
				tolerances unless otherwise specified				.100 UNSHROUDED HDR	
AB		angles		lineof		INCH/MM		DUAL ROW VERT. SMT.	
		0±.2°		20X40S/20X41S				dwg no	
		DR		D/INGRAM		1998-09-17		54202	
		engr		H.SUNDAY		1999-07-21		sheet 2 of 4 size	
		chr		H.SUNDAY		1999-07-21		A3	
		pppd		H.SUNDAY		1999-07-21		type	
sheet		revision						Product Customer Drawing	
index		sheet							

2 | 3 | 4 | 5 | 6




2 | 3

4 |

5 |

6 |



DIRECTION OF FEED

\*\*\*\*\*SILF  
T CARRIER TAPE  
(SEE NOTES 5)


2 |

3 |

4 |

5 |

6 |



UN-REELING DIRECTION OF FEED

54202-\*\*\*\*\*SILF  
TAP E AND REEL WITH PICK UP  
CAP FOR SPECIAL CUSTOMER  
FOR 2x5 SIZE(SEE NOTES 5)

mat'l code		surface		tolerance		projection		product family	
SEE NOTES 1&2		ISO 1302		ISO 406		INCH/MM		BERGSTIK	
ecn no		dr		date		tolerances unless otherwise specified		title	
AB						XXMM/XXMM		.100 UNSHROUDED HDR	
		angles		lineof		XXMM/XXMM		DUAL ROW VERT. SMT.	
		0±.2°		XXXXXX/XXXXXX		scale 1:1		dwg no	
		dr		D.JINGRAM		1998-09-17		sheet 4 of 4 size	
		engr		H.SUNDAY		1999-07-21		A3	
		chr		H.SUNDAY		1999-07-21		Product Customer Drawing	
		pppd		H.SUNDAY		1999-07-21			
sheet		revision							
index		sheet							

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 54202-S0807ALF on WIN SOURCE](#)

 [Amphenol FCI Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management