



THE DATASHEET OF PT-1507





PRODUCT DATA SHEET

PART NO. PT -1507 WASHABLE REFLOW TYPE

PT -1507


DIMENSIONS



DIMENSION: 14.8 x 14.8 x 6.8

SPECIFICATION	UNIT	PT -1507
Rated Voltage	(V)	12
Operating Voltage	(VDC)	1~20
Current Consumption	(mA)	31
Capacitance at 120 Hz	(pF)	15000±30%
Sound Output (min)	(dB)	85
Resonance Frequency	(Hz)	5000 ±500
Operating Temp	(C)	-20~+70
Storage Temp	(C)	-30~+80
Weight	(g)	2
Dimension	mm	14.8 x 14.8 x 6.8
Terminal		SMD
Environmental Protection Regulation		RoHS



FREQUENCY RESPONSE



*Value applying at rated voltage
 *Distance for measurement 10 cm

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View PT-1507 on WIN SOURCE](#)
-  [Soberton Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management