



# THE DATASHEET OF WS50-75-C


A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

| PANDUIT<br>PART NO. | "A"<br>in/mm | "L"<br>in/mm<br>REF | "D"<br>in/mm<br>REF | "T"<br>in/mm<br>REF | "B" MAX.<br>BUNDLE DIA.<br>in/mm | WEIGHT<br>lbs. 100<br>(g) pcs |
|---------------------|--------------|---------------------|---------------------|---------------------|----------------------------------|-------------------------------|
| WS25-25             | 0.25(6.4)    | 0.46(11.7)          | 0.30(7.6)           | 1.04(26.4)          | 0.25(6.4)                        | 0.11(50)                      |
| WS25-50             | 0.50(12.7)   | 0.46(11.7)          | 0.30(7.6)           | 1.29(32.8)          | 0.25(6.4)                        | 0.13(59)                      |
| WS25-75             | 0.75(19.1)   | 0.46(11.7)          | 0.30(7.6)           | 1.54(39.1)          | 0.25(6.4)                        | 0.15(68)                      |
| WS35-25             | 0.25(6.4)    | 0.57(14.5)          | 0.42(10.7)          | 1.15(29.2)          | 0.35(8.9)                        | 0.12(54)                      |
| WS35-50             | 0.50(12.7)   | 0.57(14.5)          | 0.42(10.7)          | 1.40(35.6)          | 0.35(8.9)                        | 0.14(64)                      |
| WS35-75             | 0.75(19.1)   | 0.57(14.5)          | 0.42(10.7)          | 1.65(41.9)          | 0.35(8.9)                        | 0.16(73)                      |
| WS50-25             | 0.25(6.4)    | 0.72(18.3)          | 0.58(14.7)          | 1.30(33.0)          | 0.47(11.9)                       | 0.14(64)                      |
| WS50-50             | 0.50(12.7)   | 0.72(18.3)          | 0.58(14.7)          | 1.55(39.4)          | 0.47(11.9)                       | 0.16(73)                      |
| WS50-75             | 0.75(19.1)   | 0.72(18.3)          | 0.58(14.7)          | 1.80(45.7)          | 0.47(11.9)                       | 0.18(82)                      |
| WS75-25             | 0.25(6.4)    | 1.07(27.2)          | 0.96(24.4)          | 1.65(41.9)          | 0.78(19.8)                       | 0.16(73)                      |
| WS75-50             | 0.50(12.7)   | 1.07(27.2)          | 0.96(24.4)          | 1.90(48.3)          | 0.78(19.8)                       | 0.18(82)                      |
| WS75-75             | 0.75(19.1)   | 1.07(27.2)          | 0.96(24.4)          | 2.15(54.6)          | 0.78(19.8)                       | 0.20(91)                      |

.63  
(16.0)  
REF

.08(2.0)  
8) DIA. HOLE

"B" MAX. BUNDLE DIA



NOTES:

- SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE AND COLOR.

|                                                                                                                               |          |   |      |     |                                                                                               |  |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------|----------|---|------|-----|-----------------------------------------------------------------------------------------------|--|--|--|--|
| (DIMENSIONS IN PARENTHESES ARE IN METRIC.)                                                                                    |          |   |      |     |                                                                                               |  |  |  |  |
| CAD FILENAME/LAYERS                                                                                                           |          |   |      |     |                                                                                               |  |  |  |  |
| G00239CT_PB_WCS_03                                                                                                            |          |   |      |     |                                                                                               |  |  |  |  |
|                                                                                                                               |          |   |      |     | <div><div></div><div>PANDUIT</div><div>CORP.      TINLEY PARK, ILLINOIS</div></div>           |  |  |  |  |
| WIRE CLIP STANDOFF                                                                                                            |          |   |      |     |                                                                                               |  |  |  |  |
| UNLESS OTHERWISE SPECIFIED,<br>DIMENSIONAL TOLERANCES ARE:<br>(.X) ±0.1(2.5) (.XXX) ±0.020(.5)<br>(.XX) ±0.05(1.3) ANGLES ±5° |          |   |      |     | UNLESS OTHERWISE SPECIFIED,<br>ALL DIMENSIONS ARE GIVEN<br>IN INCHES, THIRD ANGLE PROJECTION. |  |  |  |  |
| D 'M' FROM END OF<br>EACH PART NO.                                                                                            | GB0239CT | 3 |      |     | DRAWN BY    CBU      MAT'L:                                                                   |  |  |  |  |
| WEB (ADDED REF)                                                                                                               | GB0239CT | 2 |      |     |                                                                                               |  |  |  |  |
| ADDED NOTE                                                                                                                    | GB0239CT | 1 |      |     | SCALE                                                                                         |  |  |  |  |
| INITIAL RELEASE                                                                                                               | GB0239CT | R |      |     |                                                                                               |  |  |  |  |
| DESCRIPTION                                                                                                                   | ECN      | R | CUST | SUP | DRAWING NO.    G00239CT      DWG<br>SIZE    A                                                 |  |  |  |  |

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 View [WS50-75-C](#) on WIN SOURCE

 [Panduit Corp](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management