



**THE DATASHEET OF  
A-HOOD-25/44**



3	4	5	6	7
---	---	---	---	---

**A**

**Order Code**

A - HOOD-XX

**SPECIFICATION**

**MATERIAL**

This waterproof-(IP67)-Cover are designed according to the newest standards. The dimensions inside the covers are choosen amply. This cover is available in three sizes for 09-(HD15-), 15-(DH26-) and 25-(HD44-)poles

**1 No. of contacts**

09/15, 15/26, 26/44

**B**

**C**


**Material**

PBT

**D**

**Delivery includes**

- 1 one-piece hood
- 2 knurledge screws
- 4 gaskets
- 2 O-Rings
- 3 screwed cable gland



**F**

**G**

Benennung  
Dual Port D-Sub Female/Male

A-Hood-XX

Änderung

Datum

Name

Bearb.

31.10.07

Name

Hellwig

Gepr.

31.10.07

Name

Hellwig

Norm.

Zeichnungsnummer

ASS 2329 CO

Blatt

rev01

**ASSMANN**  
Electronic Components

Ersatz für

① Zeichnung überarbeitet

31.10.07

N.Schulz

3

4

5



6

7







63

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View A-HOOD-25/44](#) on WIN SOURCE
-  [Assmann WSW Components](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management