



**THE DATASHEET OF**  
**202D253-4-18/180-0-CS8261**



4 3 2

**NOTES**



1. ALL DIMENSIONS ARE IN  $\frac{\text{INCHES}}{[\text{MILLIMETERS}]}$

2. DIMENSIONS APPEARING IN TABLE ARE AS FOLLOWS:

- a - AS SUPPLIED
- b - AFTER UNRESTRICTED RECOVERY

3. COATING (ADHESIVE): IS OPTIONAL AS SUPPLIED DIMENSIONS APPEARING IN TABLE ARE FOR UNCOATED PARTS. WHEN COATING IS ADDED, ENTRY DIAMETER WILL BE REDUCED BY .06 MAX.

4. ORDERING INFORMATION



AS SUPPLIED

AFTER

TABLE OF DIMENSIONS

PART DESCRIPTION	H		J			P	JO	R
	MIN	MAX	MIN	MAX	MAX			
202D211-X-18	.88 [22.4]	.45 [11.4]	.88 [22.4]	.55 [14.0]	.25 [6.4]	1.75 [44.4]	b [86.4]	b [11.7]
202D221-X-18	1.01 [25.7]	.59 [15.0]	1.01 [25.7]	.63 [16.0]	.29 [7.4]	2.00 [50.8]	3.88 [98.6]	.48 [12.2]
202D232-X-18	1.16 [29.5]	.74 [18.8]	1.16 [29.5]	.72 [18.3]	.33 [8.4]	2.30 [58.4]	4.44 [112.8]	.48 [12.2]
202D242-X-18	1.34 [34.0]	.90 [22.9]	1.34 [34.0]	.84 [21.3]	.38 [9.7]	2.50 [63.5]	5.15 [130.8]	.48 [12.2]
202D253-X-18	1.47 [37.3]	1.16 [29.5]	1.47 [37.3]	.91 [23.1]	.41 [10.4]	2.80 [71.1]	5.60 [142.2]	.60 [15.2]
202D263-X-18	1.72 [43.7]	1.34 [34.0]	1.72 [43.7]	1.07 [27.2]	.48 [12.2]	3.30 [83.8]	6.42 [163.1]	.60 [15.2]
202D274-X-18	1.97 [50.0]	1.62 [41.2]	1.97 [50.0]	1.24 [31.5]	.56 [14.2]	3.65 [92.7]	6.21 [157.7]	.60 [15.2]
202D285-X-18	2.47 [62.7]	1.85 [47.0]	2.47 [62.7]	1.54 [39.1]	.69 [17.5]	3.75 [95.2]	6.03 [153.2]	.63 [16.0]
202D296-X-18	2.73 [69.3]	2.35 [59.7]	2.73 [69.3]	1.70 [43.2]	.77 [19.6]	4.00 [101.6]	5.64 [143.3]	.63 [16.0]
202D299-X-18	3.22 [81.8]	2.64 [67.1]	3.22 [81.8]	2.01 [51.1]	.90 [22.9]	4.25 [107.9]	5.45 [138.4]	.63 [16.0]

**COMPATIBILITY CHART**

MATERIAL DASH NO.	ADHESIVE (COATING) SLASH NO.	ADHESIVE (COATING) S NO.
-3	/42; /86; /180	S-1017; S-1048; S1030
-4	/42; /86; /180	S-1017; S-1048; S1030
-12	N/A	N/A
-25	/42; /86; /225	S-1017; S-1048
-100	/86	S-1048


UNLESS OTHERWISE SPECIFIED DIMENSIONS IN BRACKETS - METRIC DIMENSIONS ARE IN PARENTHESES - DECIMAL TOLERANCES  
 XXX # .005 (0.13 mm)  
 XX # .01 (0.25 mm)  
 X # .01 (0.50 mm)  
 ANGLE TOLERANCE  
 X # 1 DEG.

TYCO ELECTRONICS RESERVES THE RIGHT TO AMEND THIS DRAWING AT ANY TIME WITHOUT NOTICE TO THE USER OF THIS PRODUCT FOR THEIR APPLICATION.  
 © 2002-2008 Tyco Electronics Corporation. All rights reserved.

APPROVED J. KUSTER

DRAWN YUNGUEN

RPN



TITLE

SIZE B

DD. INT.

4

3

2

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View 202D253-4-18/180-0-CS8261](#) on WIN SOURCE
- ⊖ [TE Connectivity](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management