



THE DATASHEET OF MS120



MS120 Pinless Moisture Meter

Pinless measurement for non-invasive testing

Features:

- Measure moisture content in wood and other building materials
- Audible indicator (with disable) increases as the moisture level gets higher
- Low, Medium, High moisture level icons
- Data Hold freezes measurement on screen
- Self-calibration on power up
- Low battery indicator
- Includes 9V battery
- 1 year warranty

Applications:

Home Inspection, Water Damage Restoration, Lumber Yards, Painting, Paper Mills, Textile and Clothing Manufacturing.

Specifications:

Pinless Measurement Range	Wood: 0.1 to 99.9%
	Building Material: 0.1 to 56.5%
Resolution	0.1%
Measurement Depth	1" (25mm)
Visual Alert	Low, Medium, High icons
Icon Levels for Wood	Low: 0.1 to 29.9%
	Medium: 30.0 to 69.9%
	High: 70.0 to 99.9%
Icon Levels for Building Materials	Low: 0.1 to 13.9%
	Medium: 14.0 to 41.9%
	High: 42.0 to 56.5%
Audible Alert	Beeper increases in speed as moisture level goes up
Power	9V Battery
Dimensions	6.7 x 2.8 x 1.3" (170 x 70 x 33mm)
Weight	4.2oz (120g) (without battery)





Ordering Information:

MS120 Pinless Moisture Meter



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View MS120 on WIN SOURCE](#)
-  [Triplett Test Equipment and Tools Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management