




**THE DATASHEET OF**  
**1761015-3**




LOC	DIST	REVISIONS					
GP	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		D1		REVISED PER ECO-11-004835	13APR2011	RK	HMR
		E		REVISED PER ECO-14-000886	20FEB2014	JW	SH
		E1		REVISED PER ECO-14-010419	11JUL2014	JW	SH
		F		REVISED PER ECO-15-013594	25SEP2015	JW	SH






SCALE 3:1

- 1 MATERIAL: COPPER ALLOY.
- 2 TIN PLATING PER ASTM B 545, 1.25µm MINIMUM THICKNESS, ALL OVER NICKEL FLASH PER QQ-N-290. NON-PLATED EDGES ARE PERMISSIBLE.
- 3 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 4 PADS AND VIAS CHASSIS GROUND.
- 5 REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- 6 COMPANY LOGO IN APPROXIMATE AREA SHOWN
- 7 DATE CODE AND PART NUMBER IN APPROXIMATE AREA SHOWN
- 8 MATERIAL: NICKEL SILVER ALLOY(NO PLATING)



1761015-18-3  
SCALE 3:1



SECTION A-A


**SUPERSEDED BY:**  
1761015-3

FINISH	MATERIAL	DESCRIPTION	PART NO
NO	8	1X6 CAGE ASSEMBLY	1761015-3
		1X6 CAGE ASSEMBLY	1761015-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: J. VAN SCOY, 11FEB2004	TE Connectivity
DIMENSIONS: mm		CHK: M. PHILLIPS, 11FEB2004	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PHILLIPS, 11FEB2004	ASSEMBLY, CAGE, PRESS FIT, 1X6, SFP
0 PLC ±		PRODUCT SPEC	
1 PLC ±0.10		108-1950	SIZE: CAGE CODE: DRAWING NO: RESTRICTED TO
2 PLC ±		APPLICATION SPEC	A100779C=1761015
3 PLC ±		114-13120	SCALE: 4:1 SHEET 1 OF 4 REV F
4 PLC ±		WEIGHT	
ANGLES ±2°		Customer Drawing	
FINISH			

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
COPYRIGHT 20 . ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION	DATE	DWN	APVD		
-	-	SEE SHEET 1	-	-	-		



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN W. VAN SCOY	11FEB2004	
DIMENSIONS:		CHK M. PHILLIPS	11FEB2004	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. PHILLIPS	11FEB2004	
mm	0 PLC ±	PRODUCT SPEC		<b>ASSEMBLY, CAGE, PRESS FIT, 1X6, SFP</b>
	1 PLC ±0.10	108-1950		
	2 PLC ±	APPLICATION SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO A100779C=1761015 -
	3 PLC ±	114-13120		
	4 PLC ±	WEIGHT		SCALE 4:1 SHEET 2 OF 4 REV F
	ANGLES ±2°	Customer Drawing		
MATERIAL	FINISH			



LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



DETAIL U  
SCALE 20:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN W. VAN SCOY	11FEB2004	 TE Connectivity
DIMENSIONS: mm		CHK M. PHILLIPS	11FEB2004	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.10 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±2°		APVD M. PHILLIPS	11FEB2004	NAME ASSEMBLY, CAGE, PRESS FIT, 1X6, SFP
MATERIAL		PRODUCT SPEC	108-1950	SIZE A100779
FINISH		APPLICATION SPEC	114-13120	CAGE CODE C=1761015
Customer Drawing		WEIGHT	-	RESTRICTED TO
SCALE 4:1		SHEET 4 OF 4		REV F

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 1761015-3 on WIN SOURCE](#)

 [TE Connectivity](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management