





THE DATASHEET OF
292250-5



REVISED.	LOC	DIST	REVISIONS		DATE	DWN	APVD
	FB	00	P	LTR	DESCRIPTION		
			P1	REVISED	ECR-14-006619	15MAY14	T.Q W.H



NOTES:
 1. MATERIAL: HOUSING - NYLON 66 (UL94V-0)
 POST - TIN BRASS
 12 POS ~ 15 POS ONLY

(MILLED HOLE)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 31JAN03

CHK S.XU 31JAN03

APVD T. SASAKI 31JAN03

TOLERANCES UNLESS OTHERWISE SPECIFIED:
 ±0.2

6-PLC	±
4-PLC	±
3-PLC	±
4-PLC	±
4-PLC ANGLES	±

SEE NOTE

7-292250-5	5-292250-5	3-292250-5	1-292250-5	15	28	31.8	25.2	31.0
7-4	5-4	3-4	1-4	14	26	29.8	23.2	29.0
7-3	5-3	3-3	1-3	13	24	27.8	21.2	27.0
7-2	5-2	3-2	1-2	12	22	25.8	19.2	25.0
7-1	5-1	3-1	1-1	11	20	23.8	17.2	23.0
7-0	5-0	3-0	1-0	10	18	21.8	15.2	21.0
6-9	4-9	2-9	0-9	9	16	19.8	13.2	19.0
6-8	4-8	2-8	0-8	8	14	17.8	11.2	17.0
6-7	4-7	2-7	0-7	7	12	15.8	9.2	15.0
6-6	4-6	2-6	0-6	6	10	13.8	7.2	13.0
6-5	4-5	2-5	0-5	5	8	11.8	5.2	11.0
6-4	4-4	2-4	0-4	4	6	9.8	3.2	9.0
6-3	4-3	2-3	0-3	3	4	7.8	—	7.0
6-292250-2	4-292250-2	2-292250-2	292250-2	2	2	5.8	—	5.0

PART NO.


STE TE Connectivity

POST HEADER ASS'Y BOX-H DIP
 (AMP CT CONNECTOR 2mm PITCH)

APVD	T. SASAKI	NAME			
PRODUCT SPEC	108-60016	APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO
WEIGHT	—		A3	00779	G=292250
CUSTOMER DRAWING			SCALE	SHEET	REV
			5:1	1 OF 1	P1







Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 292250-5 on WIN SOURCE](#)

 [TE Connectivity Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management