



**THE DATASHEET OF
OSTH407705A**



1




2

3

4

5

SIGN	DATE



SECTION A-A

Material

- Terminal body(Contact pin)
- Wire guard :
- Insulator (housing):

Electrical

- Voltage rating:
- Current rating:
- Solid wire(AWG):
- Stranded wire(AWG):
- Wire strip length:
- Withstanding Voltage:
- Operating temperature:

RoHS Compliant

PART N

OST

- No. of Poles
- 02: 2 Pole:
- 03: 3 Pole:
-
- 24: 24 Pole



TITLE	OSTH4 5.0mm Series hook on entry si		
PART NO.	OSTH4XX705A		
APPROVED	CHECKED	DESIGNED	DRAWN
Shi Jun 2006.11.16	Shi Jun 2006.11.16	Aaron 2006.09.02	Aaron 2006.09.02

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ON-SHORE TECHNOLOGY, INC. AND SHALL NOT BE REPRODUCED, COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF ON-SHORE TECHNOLOGY, INC.


1

2

3

4

5



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View Osth407705A on WIN SOURCE](#)
- ⊖ [On Shore Technology Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management