





*Quality Products. Service Excellence.*

## Terminal Straps and Brackets

### 1418 Series Enclosures



#### Features

- Used to provide convenient mounting for terminal blocks, pneumatic controls or small relays in 1418 wallmount enclosures.
- Brackets may be installed horizontally or vertically in an enclosure if the size corresponds to enclosure length or width.
- Finished in white.

#### Bracket Assembly


- Each kit consists of two or three brackets per assembly.
- Brackets combined with collar stud length provide 3" minimum clearance from the rear of the enclosure.
- "C" channel construction provides easy alignment of terminal straps.

#### Terminal Strap


- 1.5" wide x 0.187" thick steel.
- Each strap includes spring locking hardware.
- Countersunk holes in straps provide extra terminal mounting space.

#### How to Order

- Each enclosure requires one bracket assembly kit and the required number of straps (order separately).
- Determine if strap will be mounted parallel to dimension "A" or "B". Choose the part number that corresponds to enclosure dimensions "A" or "B".
- When choosing a bracket assembly to be parallel to dimension "B" in an enclosure of 24" 30" or 36" width, determine if a two or three bracket assembly is required. When enclosures are 48" or greater on "A" dimension, 6 collar studs are used.
- Choose strap kit to correspond to the other enclosure dimensions.
- Order the number of kits equal to the number of straps required.



**Front View**



**Side View**

**Bracket Assembly**

| Part No. | # of Brackets | L     | B     | Parallel Enclosure Dim |
|----------|---------------|-------|-------|------------------------|
| 18B212   | 2             | 8.50  | 7.25  | 12                     |
| 18B216   | 2             | 12.50 | 11.25 | 16                     |
| 18B220   | 2             | 16.50 | 15.25 | 20                     |
| 18B224   | 2             | 20.50 | 19.25 | 24                     |
| 18B324   | 3             | 20.50 | 19.25 | 24                     |
| 18B230   | 2             | 26.50 | 25.25 | 30                     |
| 18B330   | 3             | 26.50 | 25.25 | 30                     |
| 18B236   | 2             | 32.50 | 31.25 | 36                     |
| 18B336   | 3             | 32.50 | 31.25 | 36                     |

**Strap**

| Part No. | L     | Usable Mounting Space (L) |
|----------|-------|---------------------------|
| 18S12    | 9.50  | 7.60                      |
| 18S16    | 13.50 | 11.60                     |
| 18S20    | 17.50 | 15.60                     |
| 18S24    | 21.50 | 19.60                     |
| 18S30    | 27.50 | 25.60                     |
| 18S36    | 33.50 | 31.60                     |
| 18S42    | 39.50 | 37.60                     |
| 18S48    | 45.50 | 43.60                     |
| 18S60    | 57.50 | 55.60                     |
| 18S72    | 69.50 | 67.60                     |



Tags: terminal kit, bracket, terminal strap, terminal block, 1418

Data subject to change without notice

© 2024. Hammond Manufacturing Ltd. All rights reserved.

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 18B330 on WIN SOURCE](#)
-  [Hammond Manufacturing Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management