








**THE DATASHEET OF  
OSTTS09515A**



Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.



Part No.:

**OSTTSX**

Technical c

- 1.Nominal PITCH:5
- 2.Connec AWG 30
- 3.Insulati AC 1600
- 4.Insulati 1000MΩ
- 5.Tightfer 5kgf.cm
- 6.Screw
- 7.Strippipi
- 8.Operat
- 9.Undtime

Dim.L= over 3  
Dim.B= over 6  
P= num over 9

- 10.Safety
- 11.RoHS Co

No. c  
02  
03  
... 24

Norm  
Min

5	CAGE	BRASS
4	SCREW	STEEL
3	WIRE GUARD	BRONZE (PBZ)
2	DOWN BODY	PA66 UL94V-0
1	UP BODY	PA66 UL94V-0
ITEM NAME OF PART		
DWG.	WF. Zhang	DATE 2016.06.15
CHK.	WF. Zhang	DATE 2016.06.15
APP.		DATE




ON-SHORE TECHNOLOGY, INC.

△	SIGN				
	DESCRIPTION	CHK.	DATE		



	DESCRIPTION	CHK.	DATE
--	-------------	------	------

2p



## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View OSTTS09515A on WIN SOURCE](#)
-  [On Shore Technology Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management