



THE DATASHEET OF ATAVRMC100




AVR® Motor Control Evaluation Kit

ATAVRMC100

EVALUATE AND DESIGN BRUSHLESS DC MOTORS APPLICATIONS

The ATAVRMC100 is an evaluation kit dedicated to brushless DC motor control, for both Hall effect sensor control and sensorless control using Back ElectroMotive Force.

The kit includes an evaluation board, a 3-phase BLDC motor and a demonstration software. It allows users to quickly evaluate the capability of the AVR® microcontroller AT90PWM3B to control high speed brushless DC motor applications. The kit can also serve as a development platform. Low cost AVR development tools make debugging easier, and source codes, written in C, can be easily re-used by developers for their own motor control applications.



Key Features

- Evaluation Board with AT90PWM3B Microcontroller
- 3-phase BLDC Motor
- For both Hall Sensor and Sensorless Applications
- Supports In-System Programming and Chip Emulation
- CD-ROMs with Datasheets, Application Notes and Demonstration Software

Applications

- Air Conditioning (HVAC)
- Refrigerators, Fans, Pumps
- High Tech Industrial Constant Speed Applications
- Traction Elevator
- Medical Equipment

Headquarters

Atmel Corporation
2325 Orchard Parkway
San Jose, CA 95131
USA
Tel: (1) 408 441-0311
Fax: (1) 408 487-2600

International**Atmel Asia**

Room 1219
Chinachem Golden Plaza
77 Mody Road Tsimshatsui
East Kowloon
Hong Kong
Tel: (852) 2721-9778
Fax: (852) 2722-1369

Atmel Europe

Le Krebs
8, rue Jean-Pierre Timbaud
BP 309 - 78054 St Quentin-en-
Yvelines Cedex
France
Tel: (33) 1-30-60-70-00
fax: (33) 1-30-60-71-11

Atmel Japan

9F, Tonetsu Shinkawa Bldg.
1-24-8 Shinkawa
Chuo-ku, Tokyo 104-0033
Japan
Tel.: (81) 3-3523-3551
Fax: (81) 3-3523-7581

Literature Requests

www.atmel.com/literature

Web Site

www.atmel.com




Disclaimer: The information in this document is provided in connection with Atmel products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Atmel products. EXCEPT AS SET FORTH IN ATMEL'S TERMS AND CONDITIONS OF SALES LOCATED ON ATMEL'S WEB SITE, ATMEL ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ATMEL BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS AND PROFITS, BUSINESS INTERRUPTION, OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ATMEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Atmel makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and products descriptions at any time without notice. Atmel does not make any commitment to update the information contained herein. Unless specifically provided otherwise, Atmel products are not suitable for, and shall not be used in, automotive applications. Atmel's products are not intended, authorized, or warranted for use as components in applications intended to support or sustain life.

© Atmel Corporation, 2007. All rights reserved. Atmel®, logo and combinations thereof, "Everywhere You Are™", AVR® and others are registered trademarks or trademarks of Atmel Corporation or its subsidiaries. Other terms and product names may be the trademarks of others. 4094B-AVR-12/07/

The ATAVRMC100 BLDC motor control kit is an evaluation tool and development board for the AT90PWM3B AVR microcontroller from Atmel.

The board includes power bridges for BLDC motors and can realize zero crossing voltage detection, hardware overcurrent detection and motor supply voltage measurement. An on board LIN transceiver allows to drive application through a LIN network. Programming of the code into the microcontroller's Flash memory can be performed with an AVRISP or a JTAGICE mkII through the dedicated connectors.

**Product Features**

- On board AT90PWM3B microcontroller in SO32 package (2.7-5.5V)
- Hall sensor or sensorless configuration
- Zero crossing voltage detection
- Hardware overcurrent detection
- Motor supply voltage and operating current measurement
- System clock: internal RC oscillator
- On board LIN transceiver Atmel ATA6661
- Expansion connector to be used with other AVR microcontrollers
- Many access points for test and debug
- Dimension: 75 mm x 55 mm

Power Bridge for BLDC Motors

- Any commutation schemes are possible.
- Recommended Voltage Operation from 8 to 16V DC (4A)

BLDC Motor

For a comprehensive and ready-to-use evaluation, a 3-phase BLDC motor is provided.

- Manufacturer: TecMotion
- Hall sensors included. Also usable as sensorless motor.
- Phases: 3 – Poles: 8
- Voltage: 12V
- Speed: 6200 RPM
- Peak Torque: 0.19 N.m

Support

All design hints are described. Any new design can use these examples as a starting point.

- ATAVRMC100 User Manual
- Hardware schematics and layout
- Self tutorials
- Application notes and software examples

Development Tools

Only low cost standard AVR tools are required for application development and debug.

- AVR Studio® software interface
- ISP connector for on-chip In System Programming
- ISP connector for debug wire

Ordering Information

- ATAVRMC100

The latest version of all softwares is available free of charge on Atmel web site: www.atmel.com

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View ATAVRMC100 on WIN SOURCE](#)
-  [Microchip Technology](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management