



THE DATASHEET OF
55PC4131-22-2/4/6-9CS2502



SPECIFICATION CONTROL DRAWING

55PC4131

TITLE

THREE CONDUCTOR CABLE, JACKETED, 600 VOLT

Date

2-28-97

Revision

B

This specification sheet forms a part of the latest issue of Raychem Specification 55PC.



CONSTRUCTION DETAILS

PART NUMBER	CONDUCTOR SIZE (AWG)	JACKET THICKNESS (in.)		DIAMETER (in.)		UPPER SPEC LIMIT	UPPER SPEC VALUE	WEIGHT (lbs/1000 ft.)
		TARGET	LOWER SPEC LIMIT	TARGET	LOWER SPEC LIMIT			
55PC4131-24	24	.0055	.0070	.087	.091	.096	7.05	7.50
55PC4131-22	22	.0055	.0070	.100	.104	.109	9.91	10.43
55PC4131-20	20	.0060	.0075	.118	.122	.127	14.63	15.24
55PC4131-18	18	.0060	.0075	.138	.143	.148	21.52	22.34
55PC4131-16	16	.0060	.0075	.154	.159	.164	27.08	27.98
55PC4131-14	14	.0060	.0080	.186	.192	.197	41.11	42.33
55PC4131-12	12	.0060	.0080	.227	.233	.239	62.41	63.93

CABLE RATINGS AND ADDITIONAL REQUIREMENTS

TEMPERATURE RATING: 150°C
 Maximum continuous conductor temperature
VOLTAGE RATING: 600 volts (rms)
DIELECTRIC WITHSTAND: 1500 volts (rms), 60 Hz
CROSSLINK VERIFICATION: 300 ± 3°C for 1 hour
JACKET COLOR: White preferred
JACKET ELONGATION AND TENSILE STRENGTH:
 Elongation, 50% (minimum)
 Tensile Strength, 5000 lbf/in² (minimum)

The "..." in the part numbers above shall be replaced by a color code designator with a slash separating the component wire colors and a dash separating the component wire colors from the jacket color.
 Example: AWG 20, red, blue and yellow component wires; white jacket: 55PC4131-20-2/6/4-9

PART NUMBER:
 The "..." in the part numbers above shall be replaced by a color code designator with a slash separating the component wire colors and a dash separating the component wire colors from the jacket color.
 Example: AWG 20, red, blue and yellow component wires; white jacket: 55PC4131-20-2/6/4-9

COLOR AND COLOR CODE DESIGNATORS SHALL BE IN ACCORDANCE WITH MIL-STD-681

THIS SPECIFICATION SHEET TAKES PRECEDENCE OVER DOCUMENTS REFERENCED HEREIN. REFERENCED

DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View 55PC4131-22-2/4/6-9CS2502](#) on WIN SOURCE
- ⊖ [TE Connectivity](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management