




**THE DATASHEET OF
SF-QSFPLOOPBK-002**



8
7
6
5
4

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF AMPHENOL INTERCONNECT PRODUCTS CORP. ANY REPRODUCTION OR DISCLOSURE TO THIRD PARTIES, IN PART OR WHOLE, WITHOUT THE EXPRESS WRITTEN PERMISSION OF AMPHENOL INTERCONNECT PRODUCTS CORP. IS PROHIBITED.

AHSI P/N	DESCRIPTION	POWER CONSUMPTION	ATTENUATION	LANYARD COLOR	ACD P/N	EPROM REV	EYE & JITTER TEST
612400001	OSFP LOOPBACK W/MODSEL	1.5W	0 dB	BLUE	SF-QSFPLOOPBK-001	D	NO
612400002	OSFP LOOPBACK W/MODSEL	0.0W	0 dB	BLUE	SF-QSFPLOOPBK-002	D	NO
612400003	OSFP LOOPBACK W/MODSEL	1.5W	3 dB	BLUE	SF-QSFPLOOPBK-003	D	YES



CODE 39 OR 128 BARCODE OF SERIAL No.

LAST THREE DIGITS OF AHSI P/N (001, 002, ETC.)

- A
1. THIS DRAWING IS RESERVED FOR AMPHENOL CABLES ON DEMAND.
 2. PERMANENTLY MARK LABEL WITH INDICATED TEXT.
 3. ALL MATERIALS USED IN THE MANUFACTURE OF THIS ASSEMBLY SHALL COMPLY WITH AMPHENOL REGULATED MATERIALS SPECIFICATION CS-1152.
 4. TEST COMPLETED ASSEMBLIES PER AMPHENOL CS-1089. TEST ASSEMBLIES AT 10.31 Gbps AS NOTED IN P/N TABLE.
 5. SIMILAR TO AMPHENOL SPEC 59994XXXX.
 6. PROGRAM EPROM PER CS-1154. EPROM SERIAL No. MUST MATCH LABEL SERIAL No.
 7. INSTALL DUST CVR (ITEM 9) OVER CONNECTOR. COMPLETED ASSY SHALL BE PACKAGED IN AN APPROPRIATELY SIZED ANTI-STATIC BAG. PERMANENTLY LABEL BAG PER BAG LABEL DETAIL.

NOTES: UNLESS OTHERWISE SPECIFIED



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:	APPROVALS	EAR NO.
DECIMALS ±.X	DRAWN D.CASHIMERI	
ANGLES ±.5°	CHECKED	
.XX ±.01		
.XXX ±.005		
THIRD ANGLE PROJECTION	RESP ENG	
	A.PERSAUD	
	MFG ENG	

CAD FILE: S:\SolidWorks\PE 5 DIGIT NO\61240

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

[View SF-QSFPLOOPBK-002 on WIN SOURCE](#)

[Amphenol Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management