




**THE DATASHEET OF  
DK-1611-007/WH**




	3	4	5	6	7
--	---	---	---	---	---



PIN OUT

P1	WIRE COLOR	P2
1	ORANGE/WHITE	1
2	ORANGE	2
3	GREEN/WHITE	3
4	GREEN	4
5	BLUE	5
6	BLUE/WHITE	6
7	BROWN/WHITE	7
8	BROWN	8

Color: 24AWG 7\*0.19±0.015mm  
 Jacket Insulation color coding: (1) White/Orange, (1) Orange, (1) White/Green,  
 (1) Blue, (1) White/Blue, (1) White/Brown, (1) Brown  
 Jacket printing: DIGITUS Cat6 U-UTP PATCH CORD ISO/IEC  
 801 & TIA/EIA 568-B.2-1 24AWGx4p CM(UL) C(UL)  
 T568B Color  
 Contact plug: RJ45 8P8C 3u pc UL 94V-2  
 Jacket color: Black, White, Blue, or Grey  
 Jacket printing: DIGITUS Cat6 U-UTP PATCH CORD ISO/IEC  
 Jacket strength: 2.5KV dc-2seconds  
 Operating temperatures: -20°C ~ +60°C



**Order Code: DK-1611-xxx/x**  
 Order lengths in feet: 1,3,5,7,10,15,  
 20,25,50,100  
 Cable Jacket colors: Black(BL), White(WH),  
 Blue(B), Green(GR), or Grey(G)

FREE	DATE	DATE	NAME
PERFORMANCE	Drawn	15.12.2015	Joanna
	Approved	15.12.2015	Joanna

TOL			
-----	--	--	--

TOL			
-----	--	--	--

TOL			
-----	--	--	--

3	4	5	6	7
---	---	---	---	---



**ASSMANN**  
 WSW components

ASSMANN WSW-No.	DK-1611-XXXXX
Drawing-No.	ASS 7510 CA
Replace	rev00
Sheet	

--	--	--	--	--

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View DK-1611-007/WH on WIN SOURCE](#)
-  [Assmann WSW Components](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management