




**THE DATASHEET OF
AK108-2**







DB25 Male

CN36 Male

Co
DB



Notes:


1. Cable: #28, 25C+1+AL/MY,O.D:6.5
2. Connector:DB25M, Blue
CN36M, Blue
- 3.Thumbscrew:#4-40UNC,E23

Note:

- 1.Total Length: **SEE PART #**
- 2.Color:Beige
- 3.Molded Type

PART #	LENGTH (Meters)
AK108	2.0
AK127	3.0
AK158	5.0
AK159	7.0
AK160	10.0

Shield



ITEM NO	AKXXXX-X
TITLE	Printer Cable, Parallel, MOLDED HOODS D-SUB 25 Pin Male to CENT 36 Pin Male



ASSOCIATED
Electronics

1840 W. Drake Dr.
Toll Free: 1-877-277-2777

THIS DOCUMENT IS THE PROPERTY OF ASSOCIATED ELECTRONICS. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE ORDER. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. © Copyright 2000 All In

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View AK108-2 on WIN SOURCE](#)
-  [Assmann WSW Components](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management