



**THE DATASHEET OF  
M22-2010246**



# Customer Information Sheet

DRAWING No.: M22-201XXXX

IF IN DOUBT - ASK

(C)

NOT TO SCALE


THIRD ANGLE PLE

**SPECIFICATIONS:**

**MATERIAL:**  
 MOULDING = NYLON 6T, BL  
 UL94V-0, BL  
 CONTACTS = PHOSPHOR BR  
**FINISH:**  
 05 = GOLD OVER NICKEL  
 46 = 100% TIN OVER NICK  
**ELECTRICAL:**  
 CURRENT RATING = 2A  
 VOLTAGE PROOF = 500V AC  
 CONTACT RESISTANCE = 2  
 INSULATION RESISTANCE :  
**MECHANICAL:**  
 DURABILITY:  
 05 = 300 OPERATIONS (T  
 46 = 50 OPERATIONS (T  
**ENVIRONMENTAL:**  
 TEMPERATURE RANGE = -4  
**PACKING:**  
 BAG

FOR COMPLETE SPECIFICATION (T  
 COMPONENT SPECIFICATION (T

RECOMMENDED PC  
 (TOLERANCE =



**NOTES:**

1. ALL TOLERANCES ARE ±0.20 UNLESS OTHERWISE STATED.

## HARWIN

www.harwin.com  
 technical@harwin.com

THIS DRAWING AND ANY  
 INFORMATION OR DESCRIPTIVE  
 MATTER SET OUT HEREON ARE  
 CONFIDENTIAL AND COPYRIGHT  
 PROPERTY OF THE HARWIN  
 GROUP AND MUST NOT BE  
 DISCLOSED, LOANED, COPIED  
 OR USED FOR MANUFACTURING,  
 TENDERING OR FOR ANY  
 OTHER PURPOSE WITHOUT  
 THEIR WRITTEN PERMISSION.

**TOLERANCES**  
~~X.X = ± 1mm  
 X.X.X = ± 0.50mm  
 X.X.X.X = ± 0.10mm  
 X.X.X.X.X = ± 0.01mm~~  
 ANGLES = ± 5°  
 UNLESS STATED

**MATERIAL:**

SEE ABOVE

**FINISH:**



SEE ABOVE

**S/AREA:**

mm<sup>2</sup>

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View M22-2010246 on WIN SOURCE](#)
-  [Harwin Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management