






**THE DATASHEET OF  
1201080082**




LENGTH ± TOLERANCE		
3'	+2.19' / -0"	[ 1M +55.6 / -0 mm ]
16'	+4' / -0"	[ 5M +165.0 / -0 mm ]
32'	+10' / -0"	[ 10M +317.5 / -0 mm ]

(B)

FINISHED LENGTH  
(SEE CHART)



P1		P2
1	ORANGE	1
2	BLUE	2
3	DRG./WHITE	3
4	BLUE/WHITE	4



MALE - FACE VIEW

MALE - FACE VIEW

CODE:

IC FILM	BLACK/YELLOW
BLACK	BLACK
R ALUDY	GOLD PLATED
NICKEL	NICKEL
BLACK	BLACK
TEAL	TEAL
FINISH	FINISH

ADD P/N 1201080085	5/6/13
EC NO: IPG2013-1710	
DRWN: RSTONE	
CHKD: K JOZWIK	
APPR: BWOODMAN	

REV	DESCRIPTION
B	

QUALITY SYMBOLS
▲=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)		
mm	INCH	
4 PLACES	±---	±---
3 PLACES	±---	±.005
2 PLACES	±---	±.010
1 PLACE	±---	±.020
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE  
MUST REMAIN  
WITHIN DIMENSIONS

DIMENSION STYLE
IN/MM

SCALE
3:4

DESIGN UNITS
INCH

THIRD ANGLE PROJECTION
☉

TITLE  
M12 ULOCK CABLE ASSY  
4P M/MP 90/90 D-CODE  
#241/4 UNSHIELDED PVC

MOLEX INCORPORATED

DOCUMENT NO.  
SD-120108-008

SHEET NO.  
1 OF 1

SEE CHART

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

A

B

C

D

E

5

4

3

2

1

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 1201080082 on WIN SOURCE](#)

 [Molex, LLC Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management