



**THE DATASHEET OF  
OSTHN155052**



1

2

3


4

5


SIGN	DATE

THIS IS CAD DRAWING


E



D




C



B

N=NUMBER OF CONTACTS



A

Material

- Terminal body (metal housing): PhBz
  - Wire guard: Stainless
  - With flange screw: st
  - Insulator (housing): TT
- Electrical
- Voltage rating: 300V/A
  - Current rating: 10A
  - Solid wire(AWG): 12-2
  - Stranded wire(AWG):
  - Withstanding Voltage
  - Operating temperatur
  - Safety Approval:

RoHS Compliant

PART NUMBER:

OSTHN

No. of Poles —  
 02: 2 Poles  
 :  
 24: 24 Poles



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ON-SHORE TECHNOLOGY, INC. AND SHALL NOT BE REPRODUCED, COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF ON-SHORE TECHNOLOGY, INC.

TITLE	OSTHN 5.08 Series with flange		
PART NO.	OSTHNXX5052		
APPROVED	CHECKED	DESIGNED	DRAWN
Shi Jun 2006.11.13	Marvin 2006.08.04	Marvin 2006.08.04	Marvin 2006.08.04

1

2

3

4

5

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View OSTHN155052 on WIN SOURCE](#)
-  [On Shore Technology Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management