




**THE DATASHEET OF
AWAP15026**



New Product Introduction

February 7, 2012

WA series: Non-Latching Optical Switches




1x2 type

2x2 type



1. Features:

- Non-latching function added to the series
- Compact size and low profile: 16mm (W) x 31mm (L) x 9mm (H)



- Low insertion loss (1dB max)

2. Applications:

- Protection switching (WDM, CATV, FTTH)
- Optical ADM equipment
- Optical measuring instrument

3. Release Schedule: January 2012

4. Ordering Information:

AWAP

WA Optical Switch

Switch type
0: 1 × 2
1: 2 × 2

Fiber type and wavelength

| Fiber type | Wavelength | 1310 nm | 1550 nm | 1310/1550 nm |
|-------------------------|------------|---------|---------|--------------|
| Single mode (9/125/900) | | 0 | 1 | 2 |

| Fiber type | Wavelength | 850 nm | 1310 nm | 850/1310 nm |
|---------------------------|------------|--------|---------|-------------|
| Multi mode (50/125/900) | | 3 | 4 | 5 |
| Multi mode (62.5/125/900) | | 6 | 7 | 8 |

Operation type
0: Non-latching type
1: 1-coil latching type
2: 2-coil latching type

Connector type (For other connector types, please contact us.)

| Connector type | SC/AdPC | MU/AdPC |
|----------------|---------|---------|
| | 2 | 3 |

Nominal operating voltage
1: 3 VDC
6: 4.5 VDC
9: 5 VDC

5. Technical Information: PDF datasheet is attached.

Any questions, please contact your local Panasonic Electric Works Sales representatives.

Ref#: M-411

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View AWAP15026](#) on WIN SOURCE

 [Panasonic](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management