








**THE DATASHEET OF  
OSTTS02115B**




Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.



- Technical
- 1.Nomina
  - PITCH:.
  - 2.Connec
  - AWG 3
  - 3.Insulat
  - AC 160
  - 4.Insulat
  - 1000M
  - 5.Tighten
  - 2.3kgf.
  - 6.Screw
  - 7.Strippi
  - 8.operat
  - 9.Undime
  - Dim.L=
  - Dim.B=
  - P= nu
  - 0-30m
  - over 3
  - over
  - over
  - 10.Safety
  - 11.RoHS Co

Part No.:

OSTTS



5	CAGE	BRASS
4	SCREW	STEEL
3	WIRE GUARD	BRONZE (PHBZ)
2	COVER	PA66 UL94V-0
1	BODY	PA66 UL94V-0
ITEM	NAME OF PART	MA
DWG.	WF. Zhang	DATE   2016.05.28
CHK.	WF. Zhang	DATE   2016.05.28
APP.		DATE





ON-SHORE TECHNOLOGY, INC.

▲	SIGN	CHK.	DATE
	DESCRIPTION		

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View OSTTS02115B on WIN SOURCE](#)
-  [On Shore Technology Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management