




**THE DATASHEET OF  
A-MCSSP60100/B**




3	4	5	6	7
---	---	---	---	---

LENGTH



A  
B  
C  
D  
E  
F  
G  
H

① Order code: A-MC~~SS~~PP60XXX : color Grey  
order lengths in meter:  
0.5, 1, 2, 3, 5, 7, 10, 15, 20, 30





① Order code: A-MC~~SS~~PP60XXXX  
order lengths in meter:  
0.5, 1, 2, 3, 5, 7, 10, 15, 20, 30

② Tolerance

order color: (R) Red, (Y) Yellow,  
(G) Green, (B) Blue

Length Code	Length(meter)	Max-M	Min-M
005	0.5	+0.03	-0.025
010	1	+0.04	-0.035
020	2	+0.06	-0.06
030	3	+0.09	-0.09
050	5	+0.15	-0.15
070	7	+0.21	-0.21
100	10	+0.3	-0.3
150	15	+0.45	-0.45
200	20	+0.6	-0.6
300	30	+0.9	-0.9

Electrical test:  
Open/Short/Interrittence: 100%



④	△	AL-Foil	2	Double-sided conductive aluminum foil				
④	△	Molding PVC	2	Molding PVC 65P				
④	△	RJ45 CONN	2	RJ45 8P8C, Two Fork gold plated contacts 3u" with metal housing				
④③	△	CABLE	1	CAT6 S/FTP(26AWG*1PR-A)*4+B(AM)+PVC OD:5.8±0.2mm				
		NO.	NAME:	QTY				

FREE RANGE	⑥	Add a PIN OUT for cable length ≥10M	Luca	19.08.2022	Luca			
	⑤	Add length code	Luca	29.06.2022	Luca	Drawn	01.02.2016	Joanna
	④	Change the plant	Luca	12.04.2022	Luca	Approved	19.08.2022	Luca
	③	Update the cable description	Segal	01.11.2018	Segal			
	②	Clarify the tolerance	Segal	23.08.2018	Segal			
	①	Add Grey color order code	Ray	11.08.2016	Ray			
TOL		Id.	Modification	Date	Name	 		
	3	4	5	6	7			
	3	4	5	6	7			

ASSMANN WSW-No.  
A-MC~~SS~~PP60XXX/X

Customer-No.



Drawing-No.  
ASS 7542 CA

Replace  
rev06

Sheet

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View A-MCSSP60100/B on WIN SOURCE](#)
-  [Assmann WSW Components](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management