



**THE DATASHEET OF  
OSTOP210000**



Technical data

1. Nominal voltage: 50V
2. Insulation class: AC 1600V
3. Insulation material: 1000MΩ
4. Operating temperature: 105°C
5. Undiminished power: 30W

Dim. L=P*P	0-30mm
Dim. B=(P+P)	over 30mm
P= number of poles	over 60mm
	over 90mm


6. Safety approval: CE
7. RoHS Compliance: Compliant

PART NUMBER:

**OSTOPXX**

No. of Poles: 02  
 Poles: ""  
 Poles: ""

24: Poles



2	PIN	BRASS
1	BODY	PA66.UL94V-0
ITEM	NAME OF PART	MAT
DWG.	WF. Zhang	DATE 2016.05.26
CHK.	WF. Zhang	DATE 2016.05.26
APP.		DATE



ON-SHORE TECHNOLOGY, INC.

Δ	SIGN	DESCRIPTION	CHK.	DATE
---	------	-------------	------	------

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- [View OSTOP210000 on WIN SOURCE](#)
- [On Shore Technology Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management