






Designers' Choice

# ALUMINUM BATTERY HOLDERS

A standard line of battery holders available for immediate shipment from stock. Low cost, lightweight and sturdily constructed of quality materials. Good electrical contact, low leakage current and snap-fit clips are the outstanding features.

**MODIFICATIONS:** We welcome the opportunity to quote on variations of standard items. Use our engineering service for your special custom-built holders. Holders with PC and Quick-Fit terminals available on special order.



- Brass Eyelets, Nickel Plate
- Brass Lugs, Nickel Plate
- Moisture Proof, Resin Impregnated, Fibre Insulating Washers
- Aluminum 2024-T3, Frame & Clip




FIG. 1

FIG. 2

FIG. 3




FIG. 4

FIG. 5

FIG. 7




FIG. 8

FIG. 12




FIG. 9

FIG. 10



FIG. 11

FIG. 14

## POLARITY INDICATING LABEL

- No Gluing or Wetting Needed
- Economical
- Pressures Sensitive Adhesive Back
- Adheres To All Surfaces

Recommended where proper polarity of battery insertion or circuit polarity is to be shown. Labels are two color, (+) positive side red; arrow, (-) negative side blue.



CAT. NO. 58

Ideal for Alkaline, Carbon, Zinc, NiMH NiCd and Lithium Cells.

DIMENSIONAL DRAWINGS ON THE FOLLOWING PAGE



| CAT. NO.                             | HOLDS NO. OF CELLS | FIG. NO. | BATTERY CROSS REFERENCE  |   |                    |   |
|--------------------------------------|--------------------|----------|--|---|--------------------|---|
|                                      |                    |          | EVEREADY   | DURACELL  | RAY-O-VAC          | NEDA  |
| <b>"AAA" CELL HOLDER</b>             |                    |          | (BATTERY SIZE $\frac{.375}{.468}$ O.D. $\times$ $\frac{1.673}{1.752}$ H)   |   |                    |   |
| 137                                  | 1                  | 1        |  |   |                    |   |
| 138                                  | 2                  | 2        | E92, 912, CH12   | M24F, MN2400  | 824                | 24A, 24F, 24P   |
| 169                                  | 3                  | 3        |  |   |                    |   |
| 170                                  | 4                  | 4        |  |   |                    |   |
| <b>"AA" CELL HOLDERS</b>             |                    |          | (BATTERY SIZE $\frac{.531}{.565}$ O.D. $\times$ $\frac{1.906}{1.988}$ H)   |   |                    |   |
| 139                                  | 1                  | 1        |  |   |                    |   |
| 140                                  | 2                  | 2        | E9, EV15, EN91, CH15, E91, E133, E133N, E177, 505, 523, 1015, 1215         | ZM9, RM12R, NC15AA, M15F, M15AA, TR133R, TR177, M505, MN1500, PC 1500 | 5AA, 615, 815, 7AA | 15, 15A, 15C, 15D, 15F, 15M, 15NC, 221, 1101M, 1113M, 1306AP, 1306M, 1314M, 1606M |
| 171                                  | 3                  | 3        |  |   |                    |   |
| 182                                  | 4                  | 4        |  |   |                    |   |
| 189                                  | 2                  | 5        |  |   |                    |   |
| 192                                  | 4                  | 7        |  |   |                    |   |
| 193                                  | 6                  | 8        |  |   |                    |   |
| <b>"C" CELL HOLDERS</b>              |                    |          | (BATTERY SIZE $\frac{.875}{1.125}$ O.D. $\times$ $\frac{1.875}{1.969}$ H)  |   |                    |   |
| 173                                  | 1                  | 1        |  |   |                    |   |
| 174                                  | 2                  | 2*       | CH35, E93, 935, 1235, EV35, EN93   | M14F, M14HD, NC14C, TR286, MN1400, PC1400                             | 1C, 614, 814       | 14A, 14C, 14D, 14F, 14NC, 1600M   |
| 187                                  | 3                  | 3        |  |   |                    |   |
| 185                                  | 2                  | 5        |  |   |                    |   |
| 196                                  | 4                  | 7*       |  |   |                    |   |
| 197                                  | 6                  | 8        |  |   |                    |   |
| <b>"D" CELL HOLDERS</b>              |                    |          | (BATTERY SIZE $\frac{1.187}{1.375}$ O.D. $\times$ $\frac{2.312}{2.412}$ H) |   |                    |   |
| 175                                  | 1                  | 1        |  |   |                    |   |
| 176                                  | 2                  | 2*       | CH50, E95, 950, 1250, EV50, EN95   | M13F, NC13D, S42, M13HD, TR289, MN1300, PC1300                        | 2D, 6D, 613, 813   | 13A, 13C, 13D, 13F, 13NC, 1115M, 1810M  |
| 190                                  | 3                  | 3        |  |   |                    |   |
| 186                                  | 2                  | 5        |  |   |                    |   |
| 200                                  | 4                  | 7*       |  |   |                    |   |
| 201                                  | 6                  | 8        |  |   |                    |   |
| 205                                  | 6                  | 12*      |  |   |                    |   |
| <b>"N" CELL HOLDERS</b>              |                    |          | (BATTERY SIZE $\frac{.375}{.468}$ O.D. $\times$ $\frac{1.110}{1.189}$ H)   |   |                    |   |
| 154                                  | 1                  | 1        | E90, E340E, E401E, EP401E  | MP401H  | R401, RP401, 810   | 910A, 910F, 910M, 1117M, 1118M, MN9100  |
| 155                                  | 2                  | 2        |  |   |                    |   |
| 156                                  | 3                  | 3        |  |   |                    |   |
| <b>"9 VOLT" BATTERY HOLDERS</b>      |                    |          |  |   |                    |   |
| 139B                                 | 1                  | 1        | 206  | M1611   | —                  | 1611  |
| 173P                                 | 1                  | 1        | 226  | —   | —                  | 1600  |
| 203P                                 | 1                  | 10       | CH22, EN22, E146X, 216, 522, 1222, E303396                                 | TR146X, M1604, M1604HD, MN1604, PC146X, PC1604                        | A1604, D1604, 1604 | 1604, 1604A, 1604C, 1604D, 1604M, 1604NC, 1619M                                   |
| 1290                                 | REF. PAGE 21       |          |  |   |                    |   |
| 1291                                 | REF. PAGE 21       |          |  |   |                    |   |
| <b>"15 VOLT" BATTERY HOLDERS</b>     |                    |          |  |   |                    |   |
| 163                                  | 1                  | 9        | —  | —   | —                  | 224   |
| 161                                  | 1                  | 9        | —  | —   | —                  | 224   |
| 166                                  | 1                  | 11       | 411  | —   | —                  | 208   |
| 167                                  | 2                  | 14       | —  | —   | —                  | 208   |
| 225                                  | 1                  | 1        | —  | —   | —                  | 220   |
| 226                                  | 2                  | 2        | 504  | —   | —                  | 220   |
| <b>"22 1/2 VOLT" BATTERY HOLDERS</b> |                    |          |  |   |                    |   |
| 139                                  | 1                  | 1        | 505  | —   | —                  | 221   |
| 168                                  | 1                  | 9        | 420  | —   | —                  | 225   |
| 177                                  | 1                  | 11       | 412  | M215  | —                  | 215   |
| 178                                  | 2                  | 14       | —  | —   | —                  | 215   |
| <b>"30 VOLT" BATTERY HOLDERS</b>     |                    |          |  |   |                    |   |
| 183                                  | 1                  | 11       | 413  | —   | —                  | 210   |
| 184                                  | 2                  | 14       | —  | —   | —                  | 210   |

\*"C" Cell Holders-Dual Cat. No. 97 clips used

"D" Cell Holders-Dual Cat. No. 98 clips used

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 166](#) on WIN SOURCE
-  [Keystone Electronics](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management