










THE DATASHEET OF
17241102102



Alle Rechte vorbehalten/ All rights reserved



**Lochbild
 board drillings**



17 24 110 4102	—	min.0,76µm (30µm) Au über/over min.1,27µm (50µm) Ni
17 24 110 2102	2	Au über/over Ni
17 24 110 1102	1	Au über/over Ni
Bestell-Nr. part-No.	Anforderungsstufe nach IEC performance level acc. to IEC	Kontaktoberfläche contact plating

All Dimensions in mm Original Size DIN A 3			Techn. Character.			Nicht tolerierte Maßel/Free size tolerances IEC 61076-4-101		
				Dat.	Name	Maßstab/Scale		
35456	01.12.08	TD	Detail.	30.06.99	Hm	2:1		
32387	18.11.04	HL.	Insp.	30.06.99	Ko	(5:1)		
29412	07.05.01	Lk	Stand.					
28494	20.09.00	Koe						
25016			HARTING Electronics GmbH & Co. KG D-32339 ESPELKAMP					
Mod.	Dat.	Name				TB 17 24 110 x102		
						Sub.		Blatt/ page

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 17241102102 on WIN SOURCE](#)

 [HARTING Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management