




THE DATASHEET OF
7133






JKL LAMP NUMBER	VOLTS RATED	AMPS ±10%	MSCP ±25%	LUMENS ±25%	AVERAGE LIFE HRS.	FILAMENT TYPE
2	5.0	.021	.034	0.43	10,000	C-2R
6803	5.0	.060	.030	0.38	100,000	C-2R
6833	5.0	.060	.050	0.63	100,000	C-2R
7133	5.0	.075	.090	1.13	25,000	C-2R
7153	5.0	.115	.150	1.89	40,000	C-2R
BW79	6.0	.065	.110	1.40	10,000	C-2R

NOTES:

- GLASS ENVELOPE TO BE TIPLESS AND SEAMLESS CONSTRUCTION TO PROVIDE UNDISTORTED END VIEWING.
- WIRE TERMINALS TO BE TINNED DUMET TYPE WIRE. OPTIONAL PLATING MATERIALS ARE AVAILABLE.
- ALL LAMPS TO BE 100% AGED FOR AN EQUIVALENT OF TEN HOURS OF THE RATED VOLTAGES.
- FINAL INSPECTION ON ALL LAMPS TO BE PER MIL. STD. 105D TO AN AQL OF 2.5.
NOTE: AS15 TYPE LAMPS WILL BE 100% INSPECTED FOR AMPERAGE AND MSCP RATINGS.
- ALL DIMENSIONS PROVIDED HEREIN, NOT LISTING TOLERANCES, ARE CONSIDERED REFERENCE DIMENSIONS ONLY.

			METRIC  THIRD ANGLE PROJECTION		DIMENSIONS ARE IN MILLIMETERS TOLERANCE UNLESS OTHERWISE SPECIFIED 1 PL +/- 0.2 2 PL +/- 0 ANGLE +/- 0		JKL COMPONENTS CORPORATION				
							TITLE T-3/4 STANDARD WIRE TERMINAL LAMP				
C	LEAD DIA. CHNG TO Ø0.2 REF.	02/08/00	DRAWN BY		APPVD BY	DATE	SIZE	FSCM NO.	DRAWING NO.		
B	CORRECTION ON REV. LAMP LIST	01/28/00	L. WENGSTROM		BW	02/08/00	A	55335	WIRE TERMINAL T-3/4		
A	DRAWING CONVERTED TO CAD-LAMPS 7100, 8534, BW23,6153, 8666, 7102 DELETED	01/17/00									
	RELEASED	12/84									
REV. NO.	DESCRIPTION/ECO NUMBER	APPVD DATE	- CAD DRAWING -		SCALE	RELEASED DATE	REVISION DATE	REV. NO.	SHEET		
			MANUAL REVISIONS NOT PERMITTED		NONE	12/84	02/08/00	C	1 of 1		

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View 7133 on WIN SOURCE](#)
- ⊖ [JKL Components Corp. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management