





THE DATASHEET OF ALC10060



NOTES:

- 1. MAGNET PROPERTIES PER S22:
Br: 9,500-10,000 G
Hc: 9,000-9,500 Oe
Hci: ≥15,000 Oe
T max: 250 C

- 2. SUPPLIED MAGNETIZED ACROSS THE DIAMETER



REV	DESCRIPTION	DATE	BY
B	Changed CAD, incl cert, 3D	2/11/20	BT

TOLERANCES (UNLESS OTHERWISE NOTED)	
DECIMAL	METRIC
X.XX = ± .01	X.X = ± .25
X.XXX = ± .005	X.XX = ± .13
ANGLES ± .5°	
DO NOT SCALE DRAWING	

1450 CLARK DRIVE, \	DESCRIPTION: 10.
Samarium Cobalt M	
GRADE: S22	
COATING: None	

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

⊖ View [ALC10060](#) on WIN SOURCE

⊖ [Alliance Memory, Inc.](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management