



**THE DATASHEET OF
AM1695B1740**





ANATECH ELECTRONICS INC
RF & Microwave Filters & Products

1695 MHz Ceramic Bandpass Filter

Part Number: AM1695B1740



Electrical specifications

Center Frequency: 1695 MHz
Bandwidth: 170 MHz min
VSWR: 20 dB min
Input / Output Impedance: 50 Ohms
Passband: 1610-1780 MHz
Passband Insertion Loss: 0.5 dB max
Passband Ripple: 0.5 dB max
Rejection: 30 dB min at 1030 - 1090 MHz
Power Handling: 1 Watt

Mechanical


Mounting Method: SMT
Dimensions: 13 x 12 x 5.5 mm

Environmental

Operating Temperature: -40°C to 85°C
Storage Temperature: -50°C to +90°C

This product is RoHs compliant.

Outline Drawing:



UNIT: mm
 TOLERANCE: ±0.3

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View AM1695B1740 on WIN SOURCE](#)
- ⊖ [Anatech Electronics Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management