



**THE DATASHEET OF  
R912-8**



		PART NO.									
LENGTH "H"	DIM. "H" TOLERANCE	ID: .028 [0.7]	ID: .032 [0.8]	ID: .047 [1.2]	ID: .090 [2.3]	ID: .085 [2.2]	ID: .148 [3.6]	ID: .047 [1.2]	ID: .085 [2.2]	ID: .156 [4.0]	ID: .105 [2.7]
1/16 [1.6]		R901-1	R902-1	R939-1	R937-1	R906-1	R903-1	R901-1	R906-1	R903-1	R907-1
1/8 [3.2]		R901-2	R902-2	R939-2	R937-2	R906-2	R903-2	R901-2	R906-2	R903-2	R907-2
3/16 [4.8]		R901-3	R902-3	R939-3	R937-3	R906-3	R903-3	R901-3	R906-3	R903-3	R907-3
1/4 [6.4]	±.007 [±0.18]	R901-4	R902-4	R939-4	R937-4	R906-4	R903-4	R901-4	R906-4	R903-4	R907-4
5/16 [7.9]		R901-5	R902-5	R939-5	R937-5	R906-5	R903-5	R901-5	R906-5	R903-5	R907-5
3/8 [9.5]		R901-6	R902-6	R939-6	R937-6	R906-6	R903-6	R901-6	R906-6	R903-6	R907-6
7/16 [11.1]		R901-7	R902-7	R939-7	R937-7	R906-7	R903-7	R901-7	R906-7	R903-7	R907-7
1/2 [12.7]		R901-8	R902-8	R939-8	R937-8	R906-8	R903-8	R901-8	R906-8	R903-8	R907-8
9/16 [14.3]		*R901-9	*R902-9	*R939-9	*R937-9	*R906-9	*R903-9	*R901-9	*R906-9	*R903-9	*R907-9
5/8 [15.9]	±.010 [±0.25]	*R901-10	*R902-10	*R939-10	*R937-10	*R906-10	*R903-10	*R901-10	*R906-10	*R903-10	*R907-10
11/16 [17.5]		*R901-11	*R902-11	*R939-11	*R937-11	*R906-11	*R903-11	*R901-11	*R906-11	*R903-11	*R907-11

		PART NO.									
LENGTH "H"	DIM. "H" TOLERANCE	ID: .063 [1.6]	ID: .091 [2.3]	ID: .125 [3.2]	ID: .147 [3.7]	ID: .171 [4.3]	ID: .250 [6.4]	ID: .063 [1.6]	ID: .091 [2.3]	ID: .125 [3.2]	ID: .147 [3.7]
1/16 [1.6]		R904-1	R913-1	R908-1	R911-1	R905-1	R912-1	R904-1	R913-1	R908-1	R911-1
1/8 [3.2]		R904-2	R913-2	R908-2	R911-2	R905-2	R912-2	R904-2	R913-2	R908-2	R911-2
3/16 [4.8]		R904-3	R913-3	R908-3	R911-3	R905-3	R912-3	R904-3	R913-3	R908-3	R911-3
1/4 [6.4]	±.007 [±0.18]	R904-4	R913-4	R908-4	R911-4	R905-4	R912-4	R904-4	R913-4	R908-4	R911-4
5/16 [7.9]		R904-5	R913-5	R908-5	R911-5	R905-5	R912-5	R904-5	R913-5	R908-5	R911-5
3/8 [9.5]		R904-6	R913-6	R908-6	R911-6	R905-6	R912-6	R904-6	R913-6	R908-6	R911-6
7/16 [11.1]		R904-7	R913-7	R908-7	R911-7	R905-7	R912-7	R904-7	R913-7	R908-7	R911-7
1/2 [12.7]		R904-8	R913-8	R908-8	R911-8	R905-8	R912-8	R904-8	R913-8	R908-8	R911-8
9/16 [14.3]		*R904-9	*R913-9	*R908-9	R911-9	*R905-9	*R912-9	*R904-9	*R913-9	*R908-9	R911-9
5/8 [15.9]	±.010 [±0.25]	*R904-10	*R913-10	*R908-10	*R911-10	*R905-10	*R912-10	*R904-10	*R913-10	*R908-10	*R911-10
11/16 [17.5]		*R904-11	*R913-11	*R908-11	*R911-11	*R905-11	*R912-11	*R904-11	*R913-11	*R908-11	*R911-11

**\*PARTS AVAILABLE BY SPECIAL ORDER ONLY.**

NOTES:  
1. MATERIAL: MODIFIED TYPE 6 NYLON (RMS60).  
2. COLOR: WHITE.  
COLOR BLACK AVAILABLE BY SPECIAL ORDER. TO ORDER ADD "BK" AT THE END OF PART NUMBER.

TITLE:		NYLON	
L	OBSOLETE R910 SERIES - ECN # 1403	DZ	03/25/2015
K	SEE CO 200768 FOR CHANGES	SK	03/26/2012
J	SEE CO 200243 FOR CHANGES	SK	09/17/08
I	SEE CO 200035 FOR CHANGES	SK	09/26/07
H	SEE ECN #863 FOR CHANGES	SM	10.04.04
G	SEE ECN #815 FOR CHANGES	SM	07/02/04
REV.	DESCRIPTION	ENGR.	DATE
GREATED USING SOLIDWORKS		FILE #:	R900
TOLERANCES UNLESS NOTED .XX=±.010 .XXX=±.005 FRAC.=±1/64 ANG.=±1°		SHEET:	1 OF 1
		RE:	RICHCO, INC

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- [View R912-8 on WIN SOURCE](#)
- [Essentra Components Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management