



**THE DATASHEET OF
2450BL14C050T**

High Frequency Ceramic Solutions

2450 MHz EIA 0603 RF Balun


P/N 2450BL14C050

Detail Specification: 2/7/2018

Page 1 of 3

General Specifications

Part Number	2450BL14C050		
Frequency (MHz)	2400 ~ 2500		
Unbalanced Impedance	50 Ω		
Balanced Differential Impedance	50 Ω		
Insertion Loss	1.2 dB max.		
Return Loss	9.5 dB min.		
Phase Difference	180 \pm 10 deg.		
Amplitude Difference	2 dB max.		
Operating Temperature	-40 to +85°C	Reel Quantity	
Storage Temperature Range	-40 to +85°C	Power Capacity	
			4,000 pcs
			3W max. (CW)




You can download measured s-parameters of this component at: <https://www.johansontechnology.com/rfbaluns>

Part Number Explanation

P/N Suffix	Packaging Style	Bulk	Suffix = S	Eg. 2450BL14C050S
		T & R	Suffix = T	Eg. 2450BL14C050T
	Termination Style	100% Tin	Suffix = None	Eg. 2450BL14C050(T or S)

Mechanical Dimensions


	In	mm
L	0.063 \pm 0.004	1.60 \pm 0.10
W	0.031 \pm 0.004	0.80 \pm 0.10
T	0.024 \pm 0.004	0.60 \pm 0.10
a	0.008 \pm 0.004	0.20 \pm 0.10
b	0.008 +0.004/0.008	0.20 +0.1/-0.15
c	0.006 \pm 0.004	0.15 \pm 0.10
g	0.012 \pm 0.004	0.30 \pm 0.10
p	0.020 \pm 0.004	0.50 \pm 0.10



Terminal Configuration

1	Unbalanced Port
2	GND, or DC Bias + RF GND
3	Balanced Port
4	Balanced Port
5	GND
6	NC

Layout and Mounting Considerations



* RF trace geometry must be designed with a 50ohm characteristic impedance

Need help with the balun's layout? Want the layout file? Send us a message at: www.johansontechnology.com/component/techquestion

Mount these devices with red mark facing up. Line width should be designed to provide proper impedance matching characteristics.

Units: mm

Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012, USA • TEL +1.805.389.1166

Ver 2.0

2018 Johanson Technology, Inc. All Rights Reserved

High Frequency Ceramic Solutions

2450 MHz EIA 0603 RF Balun


P/N 2450BL14C050

Detail Specification: 2/7/2018


Page 2 of 3

Typical Electrical Characteristics (T=25°C)

Insertion and Return Loss



Amplitude and Phase Balance



Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012, USA • TEL +1.805.389.1166

Ver 2.0 2018 Johanson Technology, Inc. All Rights Reserved

High Frequency Ceramic Solutions

2450 MHz EIA 0603 RF Balun

P/N 2450BL14C050

Detail Specification: 2/7/2018

Page 3 of 3

More Balun info at:

www.johansontechnology.com/rfbaluns

Packaging information

www.johansontechnology.com/ipcpackaging.html

Soldering Information

www.johansontechnology.com/ipcsoldering-profile

MSL Info

www.johansontechnology.com/technical-notes/msl-rating.html

Recommended Storage Condition and Max Shelf Life

www.johansontechnology.com/ipcstorage-shelflife

RoHS Compliance

www.johansontechnology.com/technical-notes/rohs-compliance.html

Antenna layout and tuning techniques

www.johansontechnology.com/tuning

Antenna layout review, tuning, and characterization services

www.johansontechnology.com/ipcantennaservices

Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012, USA • TEL +1.805.389.1166

Ver 2.0





2018 Johanson Technology, Inc. All Rights Reserved

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 2450BL14C050T on WIN SOURCE](#)
-  [Johanson Technology Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management