



**THE DATASHEET OF  
CC40-110**







# American Electrical, Inc.

## Industrial Electrical Components

AEI Part Numbers		CC18-110	CC22-110	CC40-110	CC50-110	CC65-110	CC85-110
Continuous Current	110-130 VAC	1	2	3	3	5	7.5
	220-240 VAC	3	3	7.5	10	15	15
3pH (HP)	200-208 VAC	5	7.5	15	20	25	30
	220-240 VAC	7.5	10	15	25	30	40
	400-480 VAC	10	15	30	40	50	60
550-600 VAC	15	20	30	50	60	75	
Wire Range (AWG)	16-8	14-8	8-6	10-4	8-3	8-3	8-1/0
Wire Type	Stranded	Stranded	Stranded Solid	Stranded Solid	Stranded Solid	Stranded Solid	Stranded Solid
Torqu (lb-in)	20	20	35	35	45	45	45

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View CC40-110 on WIN SOURCE](#)
-  [American Electrical Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management