



**THE DATASHEET OF
1850BL15B050E**



High Frequency Ceramic Solutions

1850 MHz EIA 0805 1:1 RF Balun


P/N 1850BL15B050

Detail Specification: 1/18/2019

Page 1 of 4

General Specifications


Part Number	1850BL15B050	
Unbalanced Impedance (single ended)	50 Ω	
Differential Balanced Imp.	50 Ω	
Operating Frequency 1 (MHz)	1700 ~ 2000	
Insertion Loss, Oper Freq 1	1.0 dB max.	
Return Loss, Oper Freq 1	9.5 dB min.	
Operating Frequency 2 (MHz)	1700 ~ 2300	
Insertion Loss, Oper Freq 2	1.1 dB max.	Power Capacity 3 W max. (CW)
Return Loss, Oper Freq 2	9.0 dB min.	Operating Temperature -40 to +105°C
Phase Difference (1&2)	180 ± 10 deg.	Storage Temperature Range -40 to +105°C
Amplitude Difference (1&2)	2 dB max.	Reel Quantity 4,000 pcs



You can download measured s-parameters of this component at: <http://www.johansontechnology.com/rfbaluns>


Mechanical Dimensions

	In	mm
L	0.079 ± 0.004	2.00 ± 0.10
W	0.049 ± 0.004	1.25 ± 0.10
T	0.033 ± 0.004	0.85 ± 0.10
a	0.012 ± 0.004	0.30 ± 0.10
b	0.008 ± 0.004	0.20 ± 0.10
c	0.012 +0.004/0.008	0.30 +0.1/-0.2
g	0.014 ± 0.004	0.35 ± 0.10
p	0.026 ± 0.002	0.65 ± 0.05



Terminal Configuration

1	Unbalanced Port	4	Balanced Port
2	GND or DC Feed+RF GND	5	GND
3	Balanced Port	6	NC



Mounting Considerations

Mount these devices with

- Solder
- Land
- Through-hole (Φ0.3)

* Line width should be designed to provide 50ohm impedance

Need our help laying this out for you? Need the layout file? Send us a message at: www.johansontechnology.com/component/techquestion

Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012, USA • TEL +1.805.389.1166

Ver 2.2

2019 Johanson Technology, Inc. All Rights Reserved

High Frequency Ceramic Solutions



1850 MHz EIA 0805 1:1 RF Balun

P/N 1850BL15B050

Detail Specification: 1/18/2019

Page 2 of 4

Typical Electrical Characteristics (T=25°C)



Johanson Technology, Inc. reserves the right to make design changes without notice.
All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012, USA • TEL +1.805.389.1166

Ver 2.2

2019 Johanson Technology, Inc. All Rights Reserved

High Frequency Ceramic Solutions


1850 MHz EIA 0805 1:1 RF Balun

P/N 1850BL15B050


Detail Specification: 1/18/2019

Page 3 of 4

Equivalent Circuit



Recommended Circuit when using DC-Feed (Pin 2) feature



Note: The by-pass capacitor and RF choke should be placed as *close as possible* to Pin2 of balun!

Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



Ver 2.2

www.johansontechnology.com

4001 Calle Tecate • Camarillo, CA 93012, USA • TEL +1.805.389.1166

2019 Johanson Technology, Inc. All Rights Reserved

High Frequency Ceramic Solutions

1850 MHz EIA 0805 1:1 RF Balun

P/N 1850BL15B050

Detail Specification: 1/18/2019

Page 4 of 4

Part Number Explanation

P/N Suffix	Packing Style	Bulk	Suffix = S	Eg. 1850BL15B050S
		T & R	Suffix = E	Eg. 1850BL15B050E
	Termination style	100% Tin	Suffix = None	Eg. 1850BL15B050 (E or S)
	Evaluation Board	1850BL15B050-EBSMA		

Recommended Storage Conditions of unused product on T&R

+5 to +35°C, 18 mos. max. Humidity 45~75% RH

More Balun info at:

www.johansontechnology.com/baluns

RoHS Compliance

www.johansontechnology.com/rohs-compliance

Packaging information

www.johansontechnology.com/tape-reel-packaging

Soldering Information

www.johansontechnology.com/ipcsoldering-profile

Layout Files, s-parameters and any other technical questions

www.johansontechnology.com/ask-a-question

MSL Info

www.johansontechnology.com/msl-rating

Recommended Storage Condition and Max Shelf Life

www.johansontechnology.com/recommended-storage-conditions

Antenna layout and tuning techniques

www.johansontechnology.com/tuning

Antenna layout review, tuning, and characterization services

www.johansontechnology.com/ipc-antenna-services

Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com



4001 Calle Tecate • Camarillo, CA 93012, USA • TEL +1.805.389.1166

Ver 2.2

2019 Johanson Technology, Inc. All Rights Reserved

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 1850BL15B050E on WIN SOURCE](#)
-  [Johanson Technology Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management