



**THE DATASHEET OF  
6QCD-104-12.00-SED-TBL-1**



REVISION T

DO NOT SCALE FROM THIS PRINT

END TO END	"L"
DV TO DV	1.121[28.47]
DV TO EM (-TEX)	1.067[27.09]
EM (-TEX) TO EM (-TEX)	1.012[25.70]
-DV-N TO -DV-N	.890[22.61]
-DV-N TO EM (-TEX)	.952[25.17]
DV TO EM (-SEX)	1.115[27.32]
EM (-SEX) TO EM (-SEX)	1.098[26.16]
-DV-N TO EM (-SEX)	1.000[25.40]
EM (-TEX) TO EM (-SEX)	1.055[26.80]

FIG 1  
VERTICAL  
(6QCD-052-XX.X-STR-STR-1 SHOWN)  
LENGTH: XX.XX + "L" REF (SEE TABLE 4)  
(SEE NOTE 11)  
LENGTH: XX.XX ± 01%  
(SEE NOTE 11)

6QCD-XXX-XX.XX-XXX-XXX-X-X

No OF POSITIONS  
-026, -052, -078, -104  
(PER ROW)

LENGTH  
-XX.XX (INCHES)  
(01.72[43.7] MIN)  
(SEE NOTE 2)  
(SEE NOTE 8)

FIRST END  
-TTR: TERMINAL, TOP, RIGHT  
-TTL: TERMINAL, TOP, LEFT  
-TBR: TERMINAL, BOTTOM, RIGHT  
-TBL: TERMINAL, BOTTOM, LEFT  
-STR: SOCKET, TOP, RIGHT  
-STL: SOCKET, TOP, LEFT  
-SBR: SOCKET, BOTTOM, RIGHT  
-SBL: SOCKET, BOTTOM, LEFT  
(SEE TABLE 1 & SHEET 2)


-TEU: TERMINAL, EDGE MOUNT, UP  
-TED: TERMINAL, EDGE MOUNT, DOWN  
(SEE TABLE 5 & SHEET 4)  
-SEU: SOCKET, EDGE MOUNT, UP  
-SED: SOCKET, EDGE MOUNT, DOWN  
(SEE TABLE 11 & SHEET 5)

END OPTION  
-F: SCREW OPTION FIRST END ONLY  
-S: SCREW OPTION SECOND END ONLY  
-B: SCREW OPTION BOTH ENDS  
-N: NO CAPS  
(SEE FIG 3, SHEET 6 FOR EDGE MOUNT END OPTIONS)  
(SEE FIG 4, SHEET 6 FOR DOUBLE VERTICAL END OPTIONS)  
(SEE FIG 5, SHEET 6 FOR NO CAPS OPTION)  
(LEAVE BLANK FOR STANDARD CAPS BOTH ENDS)

WIRING OPTION  
-1: PIN 1 TO PIN 1  
-2: PIN 1 TO PIN 2  
-3: PIN 1 TO PIN N-1  
-4: PIN 1 TO PIN N  
(SEE TABLE 9, SHEET 6)

SECOND END  
-TTR: TERMINAL, TOP, RIGHT  
-TTL: TERMINAL, TOP, LEFT  
-TBR: TERMINAL, BOTTOM, RIGHT  
-TBL: TERMINAL, BOTTOM, LEFT  
-STR: SOCKET, TOP, RIGHT  
-STL: SOCKET, TOP, LEFT  
-SBR: SOCKET, BOTTOM, RIGHT  
-SBL: SOCKET, BOTTOM, LEFT  
(SEE TABLE 1 & SHEET 3)

-TEU: TERMINAL, EDGE MOUNT, UP  
-TED: TERMINAL, EDGE MOUNT, DOWN  
(SEE TABLE 5 & SHEET 4)  
-SEU: SOCKET, EDGE MOUNT, UP  
-SED: SOCKET, EDGE MOUNT, DOWN  
(SEE TABLE 11 & SHEET 5)




No. OF POSITIONS	N	N-1
-026	52	51
-052	104	103
-078	156	155
-104	208	207

- NOTES:
- ⊙ REPRESENTS A CRITICAL DIMENSION.
  - SUB-TCF LENGTH IS EQUAL TO 6QCD LENGTH.
  - ⊙ ALL ASSEMBLIES TO BE 100% ELECTRICALLY TESTED FOR SHORTS AND OPENS.
  - ⊙ ALL ASSEMBLIES TO BE 100% HI-POT TESTED AT 300V.
  - TOP SUB-TCF NOT SHOWN IN THIS VIEW FOR CLARITY; HDRL-11 TO BE CENTERED ON LOWER SUB-TCF AS SHOWN; HDRL-11 IS TO CONTAIN PART NUMBER, SHOP NUMBER, & DATE CODE.
  - FOR SUB-ASSEMBLY AND FINISHED GOOD PACKAGING REQUIREMENTS, REFERENCE PACKAGING STANDARD CO-HD-WI-3033-M.
  - PARTS TO BE PROCESSED PER SAMTEC ACCETPABILITY REQUIREMENTS: HDR-PI-01 "CABLE ASSEMBLY WORKMANSHIP SHTANDARDS"
  - CABLE LENGTHS LONGER THAN 40.00 INCHES ARE NOT SUPPORTED BY S.I. TEST DATA.
  - ALL POSITIONS ARE TRANSMITTED AS SIGNALS ACROSS COAX CENTER CONDUCTORS. CONNECTOR GROUND BLADES ARE TIED TO THE COAX SHIELD. FOR MULTIPLE BANK ASSEMBLIES, EACH BANK IS GROUND INDEPENDENT OF THE OTHERS.
  - REFER TO PREP-SPEC DRAWING FOR CABLE PREP DIMENSIONS. ASSEMBLY USES STANDARD PCB PREP.
  - FOR CABLE LENGTHS LESS THAN 5 INCHES, CABLE LENGTH AND OVERALL LENGTH TOLERANCE IS ±0.05 INCHES. FOR CABLE LENGTHS GREATER THAN 5 INCHES, USE A ±1% FOR BOTH.

No. OF POSITIONS	"A"	"B"	QDP-XX-01	QDP-XX-02	QTY OF SUB-TCF	SUB-6QCD-X-XXX-XX-XX
-026	1.290 [32.77]	1.190 [30.23]	QDP-01-01	QDP-01-02	2	SUB-6QCD-X-026-XX-XX
-052	2.130 [54.10]	2.030 [51.56]	QDP-02-01	QDP-02-02	4	SUB-6QCD-X-052-XX-XX
-078	2.970 [75.44]	2.870 [72.90]	QDP-03-01	QDP-03-02	6	SUB-6QCD-X-078-XX-XX
-104	3.810 [96.77]	3.710 [94.23]	QDP-04-01	QDP-04-02	8	SUB-6QCD-X-104-XX-XX

**pb** THIS PRODUCT MANUFACTURED WITH LEAD-FREE PROCESSING



END	* "C"
-TXX	.444[11.28]
-SXX	.472[11.99]

\* -DV END OPTIONS ONLY

TOLERANCES DO NOT APPLY TO REFERENCE DIMENSIONS. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.  
TOLERANCES ARE:  
DECIMALS .XX: ±.01[.3]  
.XXX: ±.005[.13]  
.XXXX: ±.0020[.051]

PROPRIETARY NOTE  
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.


MATERIAL: DO NOT SCALE DRAWING SHEET SCALE: 1:0.8  
PLATING: -H GOLD: 30µ" CONTACT

DESCRIPTION: .635mm HIGH-SPEED COAX CABLE ASSEMBLY  
DWG. NO. 6QCD-XXX-XX.XX-XXX-XXX-X-X  
BY: D. FRALEY 03/14/2006 SHEET 1 OF 7

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code: 53322


c:\enterprise\va\DWG\MISC\MKTG\6QCD-XXX-XX-XX-XXX-XX-X-MKT.SLDDRW

-TR




WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	B1
2	1	2	B1
3	1	N-1	B1
4	1	N	B1

-TL




WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	T26
2	1	2	T26
3	1	N-1	T26
4	1	N	T26

-STR






WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	B26
2	1	2	B26
3	1	N-1	B26
4	1	N	B26


-STL






WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	T1
2	1	2	T1
3	1	N-1	T1
4	1	N	T1




WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	T26
2	1	2	T26
3	1	N-1	T26
4	1	N	T26



WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	B1
2	1	2	B1
3	1	N-1	B1
4	1	N	B1



WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	T1
2	1	2	T1
3	1	N-1	T1
4	1	N	T1



WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	B26
2	1	2	B26
3	1	N-1	B26
4	1	N	B26

**PROPRIETARY NOTE**  
 THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:25:1




520 PARK EAST BLVD, NEW ALBANY, IN 47150  
 PHONE: 812-944-6733 FAX: 812-948-5047  
 e-Mail: info@SAMTEC.com code: 53322


DESCRIPTION:  
 .635mm HIGH-SPEED COAX CABLE ASSEMBLY

DWG. NO.  
 6QCD-XXX-XX.XX-XXX-XXX-X-X


BY: D. FRALEY 03/14/2006 SHEET 2 OF 7




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N



WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N



WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N



WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N

**PROPRIETARY NOTE**  
 \* THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:25:1







520 PARK EAST BLVD, NEW ALBANY, IN 47150  
 PHONE: 812-944-6733 FAX: 812-948-5047  
 e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:  
 .635mm HIGH-SPEED COAX CABLE ASSEMBLY

DWG. NO.  
 6QCD-XXX-XX.XX-XXX-XXX-X-X


BY: D. FRALEY 03/14/2006 SHEET 3 OF 7



**FIG 2**  
EDGE MOUNT (NO CAPTIVE PANEL SCREWS)  
(6QCD-026-XX.XX-TEU-STL-X SHOWN)  
(SAME AS FIG 1, UNLESS OTHERWISE STATED)

**TABLE 5**

No. OF POSITIONS	"D"	"E"	QDP-XX-03	SUB-6QCD-X-XXX-03-XX
-026	1.790 [45.47]	1.640 [41.66]	QDP-01-03	SUB-6QCD-X-026-03-XX
-052	2.630 [66.80]	2.480 [62.99]	QDP-02-03	SUB-6QCD-X-052-03-XX
-078	3.470 [88.14]	3.320 [84.33]	QDP-03-03	SUB-6QCD-X-078-03-XX
-104	4.310 [109.47]	4.160 [105.66]	QDP-04-03	SUB-6QCD-X-104-03-XX



**PROPRIETARY NOTE**  
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:  
.635mm HIGH-SPEED COAX CABLE ASSEMBLY

DWG. NO.  
6QCD-XXX-XX.XX-XXX-XXX-X-X

BY: D. FRALEY 03/14/2006 SHEET 4 OF 7

FIRST END - EDGE MOUNT (SEE TABLE 9, SHEET 7)

SECOND END - EDGE MOUNT (SEE TABLE 9, SHEET 7)








FIG 2A  
EDGE MOUNT (NO CAPTIVE PANEL SCREWS)  
(6QCD-026-XX.XX-SED-STL-X SHOWN)  
(SAME AS FIG 1, UNLESS OTHERWISE STATED)



No. OF POSITIONS	"R"	"S"	QDP-XX-03	SUB-6QCD-X-XXX-03-XX
-026	1.790 [45.47]	1.640 [41.66]	QDP-01-03	SUB-6QCD-X-026-03-XX
-052	2.630 [66.80]	2.480 [62.99]	QDP-02-03	SUB-6QCD-X-052-03-XX
-078	3.470 [88.14]	3.320 [84.33]	QDP-03-03	SUB-6QCD-X-078-03-XX
-104	4.310 [109.47]	4.160 [105.66]	QDP-04-03	SUB-6QCD-X-104-03-XX

**PROPRIETARY NOTE**  
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR IN PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.


DO NOT SCALE DRAWING  
SHEET SCALE: 1:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:  
.635mm HIGH-SPEED COAX CABLE ASSEMBLY  
DWG. NO.  
**6QCD-XXX-XX.XX-XXX-XXX-X-X**  
BY: D. FRALEY 03/14/2006 SHEET 5 OF 7


**FIG 3**  
EDGE MOUNT (WITH CAPTIVE PANEL SCREWS)  
(6QCD-026-XX.XX-TEU-XXX-1-F SHOWN)  
(SAME AS FIG 2, UNLESS OTHERWISE STATED)



**TABLE 6**

No. OF POSITIONS	"F"	"G"	"H"	QDP-XX-03-CPS
-026	2.181 [55.40]	2.033 [51.64]	1.8099 [45.97]	QDP-01-03-CPS
-052	3.021 [76.73]	2.873 [72.97]	2.6499 [67.31]	QDP-02-03-CPS
-078	3.861 [98.07]	3.713 [94.31]	3.4899 [88.64]	QDP-03-03-CPS
-104	4.701 [119.41]	4.553 [115.65]	4.3299 [109.98]	QDP-04-03-CPS

**FIG 4**  
DOUBLE VERTICAL (WITH SCREW DOWN OPTION)  
(6QCD-026-XX.XX-STR-XXX-1-F SHOWN)  
(SAME AS FIG 1, UNLESS OTHERWISE STATED)




**TABLE 7**

No. OF POSITIONS	"J"	"K"	QDP-XX-02-SDO
-026	1.790 [45.47]	1.546 [39.27]	QDP-01-02-SDO
-052	2.630 [66.80]	2.386 [60.60]	QDP-02-02-SDO
-078	3.470 [88.14]	3.226 [81.94]	QDP-03-02-SDO
-104	4.310 [109.47]	4.066 [103.28]	QDP-04-02-SDO

**TABLE 8**

END	"P"
-TXX	0.224 [5.69]
-SXX	0.252 [6.40]

**FIG 5**  
(6QCD-026-XX.XX-TEU-STL-X-N SHOWN)  
(SAME AS FIG 1, UNLESS OTHERWISE STATED)  
SOLDER SPLATTER VISIBLE AT 0X MAGNIFICATION  
TO BE WICKED OFF EXPOSED GOLD SURFACES ON -N PARTS



**TABLE 10**

No OF POSITIONS	"M"	"N"
-026	1.070 [27.18]	1.370 [34.80]
-052	1.910 [48.51]	2.210 [56.13]
-078	2.750 [69.85]	3.050 [77.47]
-104	3.590 [91.19]	3.890 [98.81]

**PROPRIETARY NOTE**

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:25:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code: 53322

DESCRIPTION:  
.635mm HIGH-SPEED COAX CABLE ASSEMBLY

DWG. NO.  
6QCD-XXX-XX.XX-XXX-XXX-X-X

BY: D. FRALEY 03/14/2006 SHEET 6 OF 7

TABLE 9

FIRST END OPTION	FIRST END SUB-6QCD- X-XXX-XX-01	WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE #	SECOND END OPTION (SUB-6QCD-X-XXX-XX-XX)											
						-TTR	-TTL	-TBR	-TBL	-STR	-STL	-SBR	-SBL	-TEU	-TED	-SEU	-SED
-TTR	-T-XXX-01-01	1	1	1	B1	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-02	-S-XXX-03-01	N/A
		2	1	2	B1	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		3	1	N-1	B1	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		4	1	N	B1	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-02	N/A	N/A	-S-XXX-03-01
-TTL	-T-XXX-02-01	1	1	1	T26	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-02	N/A	N/A	-S-XXX-03-01
		2	1	2	T26	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		3	1	N-1	T26	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		4	1	N	T26	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-02	-S-XXX-03-01	N/A
-TBR	-T-XXX-01-01	1	1	1	T26	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-02	N/A	N/A	-S-XXX-03-01
		2	1	2	T26	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		3	1	N-1	T26	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		4	1	N	T26	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-02	-S-XXX-03-01	N/A
-TBL	-T-XXX-02-01	1	1	1	B1	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-02	-S-XXX-03-01	N/A
		2	1	2	B1	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		3	1	N-1	B1	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		4	1	N	B1	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-02	N/A	N/A	-S-XXX-03-01
-STR	-S-XXX-01-01	1	1	1	B26	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		2	1	2	B26	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-02	N/A	N/A	-S-XXX-03-01
		3	1	N-1	B26	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		4	1	N	B26	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
-STL	-S-XXX-02-01	1	1	1	T1	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		2	1	2	T1	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-02	-S-XXX-03-01	N/A
		3	1	N-1	T1	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		4	1	N	T1	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
-SBR	-S-XXX-01-01	1	1	1	T1	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		2	1	2	T1	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-02	-S-XXX-03-01	N/A
		3	1	N-1	T1	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		4	1	N	T1	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
-SBL	-S-XXX-02-01	1	1	1	B26	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		2	1	2	B26	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-02	N/A	N/A	-S-XXX-03-01
		3	1	N-1	B26	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		4	1	N	B26	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
-TEU	-T-XXX-03-01	1	1	1	B1	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-02	-S-XXX-03-01	N/A
		2	1	2	B1	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		3	1	N-1	B1	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		4	1	N	B1	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-02	N/A	N/A	-S-XXX-03-01
-TED	-T-XXX-03-01	1	1	1	T26	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-02	N/A	N/A	-S-XXX-03-01
		2	1	2	T26	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		3	1	N-1	T26	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		4	1	N	T26	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-02	-S-XXX-03-01	N/A
-SEU	-S-XXX-03-01	1	1	1	B26	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		2	1	2	B26	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-02	N/A	N/A	-S-XXX-03-01
		3	1	N-1	B26	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		4	1	N	B26	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
-SED	-S-XXX-03-01	1	1	1	T1	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A	N/A	-T-XXX-03-01	-S-XXX-03-02	N/A
		2	1	2	T1	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A	N/A	-T-XXX-03-02	-S-XXX-03-01	N/A
		3	1	N-1	T1	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02
		4	1	N	T1	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02	-T-XXX-03-01	N/A	N/A	-S-XXX-03-02

PROPRIETARY NOTE  
 THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.



DO NOT SCALE DRAWING

DESCRIPTION:  
 .635mm HIGH-SPEED COAX CABLE ASSEMBLY



DWG. NO.  
 6QCD-XXX-XX.XX-XXX-XXX-X-X

SHEET SCALE: 1.25:1

BY: D. FRALEY 03/14/2006 SHEET 7 OF 7

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 6QCD-104-12.00-SED-TBL-1 on WIN SOURCE](#)
-  [Samtec Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management