



**THE DATASHEET OF
BK/A304-1.5A**




A

| | | | |
|---------------------------------|-----------------|---|--------|
| LOW BREAKING CAPACITY, TIME LAG | Document Number | T | TDA304 |
| CERAMIC CARTRIDGE, PLATED CAPS | TS-20-10-TDA304 | | |

SPECIFICATION

Sheet 1 of 1

| ALL DIMENSIONS IN MILLIMETRES | Rated Current | Joint Service No. 5920-99- | Max. mV drop @ In | Rated Voltage | |
|---|---------------|----------------------------|-------------------|---------------|------|
| | | | | A.C. | D.C. |
|  <p>31.8 mm ± 0.8</p> <p>20.0 mm $\begin{matrix} +3 \\ -4 \end{matrix}$</p> <p>6.35 mm ± 0.1</p> <p>Rated Current, Time Lag Printed in Black on Green Background, Manufacturers Ref., Year of Manufacture, Joint Service Number & Rated Voltage</p> | 50mA | 014-9569 | 2500 | 250 | 250 |
| | 100mA | 014-9570 | 1500 | 250 | 250 |
| | 150mA | 014-9571 | 1000 | 250 | 250 |
| | 250mA | 014-9572 | 820 | 250 | 250 |
| | 500mA | 014-9573 | 540 | 250 | 250 |
| | 750mA | 014-9574 | 350 | 250 | 250 |
| | 1A | 014-9575 | 300 | 250 | 250 |
| | 1.5A | 014-9576 | 210 | 250 | 250 |
| | 2A | 014-9577 | 180 | 250 | 250 |
| | 3A | 014-9578 | 100 | 250 | 250 |
| | 5A | 014-9579 | 80 | 250 | 250 |
| | 7A | 014-9580 | 80 | 250 | 50 |
| | 10A | 014-9581 | 70 | 250 | 50 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

PERFORMANCE

| Current | Range | 2In | | 10In | | Min. | Max. | Min. | Max. |
|----------------------|-------|------|--------|------|------|------|------|------|------|
| | | Min. | Max. | Min. | Max. | | | | |
| Total Operating Time | All | — | 20secs | 10mS | — | | | | |
| | | | | | | | | | |

A.C. BREAKING CAPACITY

All ratings 100A at 250V.

D.C. BREAKING CAPACITY

50mA to 250mA - 70A at 250V

300mA to 5A - 50A at 250V

7A and 10A - 100A at 50V

ENDURANCE


1000 Hours At Rated Current

SERVICE TEMPERATURE

15°C - 70°C. (Derate by 15% : 35°C-70°C)

ASSOCIATED SPECIFICATION

Defence Standard 59-96 (Part 1) /1-1980



| | | |
|-----|----------|----------|
| 7 | 11810 | 13/02/98 |
| 6 | 11497 | 13/12/96 |
| 5 | 2830 | 12/12/80 |
| ISS | REVISION | DATE |



COOPER
Bussmann

Frome, Somerset, BA11 1PP, England


CONTROLLED
DOCUMENT
THIS STAMP IS RED

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View BK/A304-1.5A on WIN SOURCE](#)
-  [Eaton Bussmann Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management