





**THE DATASHEET OF  
781710005**





- NOTES:
1. MATERIALS:  
HOUSING: LCP, UL94V  
TERMINAL: COPPER  
FITTING NAIL: COPPER
  2. FINISHES:  
TERMINAL : GOLD 0.05  
UNDERPLATING : 15 UG  
UNDERPLATING : 15 UG
  3. PRODUCT SPECIFICATION
  4. PACKAGING SPECIFICATION
  5. MATES WITH MOLEX P/N 3030
  6. 3 CIRCUITS IS SHOWN FOR REFERENCE
  7. SOLDERTAIL AND FITTING NAIL TO BE MEASURED BY GAUGED SURFACE.
  8. ELV & RoHS COMPLIANT



CKT SIZE	PART NUMBER
2	78171-0002
3	78171-0003
4	78171-0004
5	78171-0005

GENERAL TOLERANCES (UNLESS SPECIFIED)  10 UNDER ± 0.2 10 OVER 30 UNDER ± 0.25 30 OVER ± 0.3 ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	REVISIONS G REVISED EC NO: J2015-0470 DRWN: YWAKE 2014/10/02 CHKD: KASAKAWA 2014/10/02 APPR: NUKITA 2014/10/15 DESCRIPTION	DIMENSION STYLE MM ONLY	SCALE 1:1	
	DRAWN BY CWLAM	DATE 2007/10/25	TITLE	DOCUMENT NO.
	CHECKED BY KSSHANTHA	DATE 2007/12/07	APPROVED BY NUKITA	DATE 2010/10/25
	SEE CHART THIS DRAWING CONTAINS INFORMATION THAT MUST BE INCORPORATED AND SHOWN AS PART OF THE PRODUCT			

10 9 8 7 6 5 4 3

F



E

D

C

B

A



RECOMMENDED PCB LAYOUT

DESCRIPTION		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE
SEE SHEET 1		10 UNDER ± 0.2		MM ONLY		TITLE
EC NO: J2015-0470		10 OVER 30 UNDER ± 0.25		DRAWN BY CWL/AM		DATE 2007/10/25
DRWN:YMAKE		30 OVER ± 0.3		CHECKED BY KSSHANTHA		DATE 2007/12/07
CH'D:KASAKAWA		ANGULAR ±3 °		APPROVED BY NUKITA		DATE 2010/10/25
APP: NUKITA		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT
2014/10/02				SEE SHEET 1		
2014/10/15				SIZE THIS DRAWING CONTAINS INFORMATION INCORPORATED AND SHOULD BE		
G				A3		


tp\_frame\_A3\_J\_AM\_S  
Rev G 2012/01/25

6 5 4 3

10 9 8 7 6 5 4 3

NOTES:

- LEADER AND TRAILER TAIL PART (EMPTY)
- PEELING OFF FORCE OF (PEELING DIRECTION AS SHOWN)
- TAPE AND REEL SPECIFICATIONS
- TAPE AND REEL QUANTITIES
- MATERIAL : CARRIER TAPE REEL / FLANGE : PS.
- Ao & Bo ARE MEASURED ABOVE THE BOTTOM OF THE TAPE



GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	
10 UNDER	± 0.2	MM ONLY	SCA...
10 OVER	± 0.25	DRAWN BY	DATE
30 OVER	± 0.3	CWLAM	2007/10/25
ANGULAR	± 3 °	CHECKED BY	DATE
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		KSSHANTHA	2007/12/07
SEE SHEET 1		APPROVED BY	DATE
MATERIAL NO.		NUKITA	2010/10/25
THIS DRAWING CONTAINS INCORPORATED AND SHOULD BE		DOCUM	

REV	DESCRIPTION
G	SEE SHEET 1 EC NO: J2015-0470 DRWN: YWAKE CHKD: KASAKAWA APP: NUKITA 2014/10/15

fb\_frame\_A3\_J\_AM-S  
Rev G 2012/01/25

10 9 8 7 6 5 4 3

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 781710005 on WIN SOURCE](#)

 [Molex, LLC Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management